

V

R  
I  
M

<ΔΙΑΣΤΑΣΕΙΣ>

**METZELER**

index

TL

ε 0

=

**TIMH**

**PIRELLI**

index

TL

ε 0

=

**TIMH**

**VeeMoto**

index

TL

ε 0

=

**TIMH**

PDF Fraser Free

Ιανουάριος  
2024

Τ  
Ι  
Μ  
Ο  
Κ  
Α  
Τ  
Α  
Λ  
Ο  
Γ  
Ο  
Σ

A-24

1/1/2024

**METZELER**



*Sportec M9 RR*



*RoadTec 01*



*Tourance Next 2*

**PIRELLI**



*Rosso 4 Corsa*



*Angel GT II*



*Scorpion Trail II*

**VeeMoto**



*V-396 Manhattan*



*V-359 Παπιά*



*V-221 Enduro*

**intramoto**

**METZELER**

**PIRELLI**

**VeeMoto**

V	PDF Fraser Free	METZELER	index	TL	ε ο	TIMH
	<ΔΙΑΣΤΑΣΕΙΣ>			=		

PIRELLI	index	TL	ε ο	TIMH
		=		

VeeMoto	index	TL	ε ο	TIMH
		=		

**ΠΑΠΙΑ**

ΠΑΠΙΑ	17"	60/100 - 17					SUPER-City {NEW}	33L	TT	ε	38	V359-sport	33P	TT	ε	25	
	!	2.50 - 17	ME22-sport/rf. (4PR)	43P	TT	=	39	ANGEL-City/rf.	43P	TT	=	39	V359-sport	38P	TT	=	27
	!	2.75 - 17	ME22-sport/rf. (6PR)	47P	TT	=	42	ANGEL-City/rf.	47P	TT	ο	42	V359-sport	41P	TT	=	30
	!	2.50 - 17						SUPER-City {NEW}	38P	TT	ε	39	V022-enduro	38R	TT	=	29
	!	2.75 - 17						SUPER-City {NEW}/rf.	47P	TT	ο	42	V022-enduro	47R	TT	=	33
	!	2.75 - 17						City-Cross/rf.	47P	TT	ο	42					
	!	70/90 - 17	"ANGEL-City--Παπιά"		>	ANGEL-City	38S	TL	ε	40							
	!	80/90 - 17	"ANGEL-City--Παπιά"		>	ANGEL-City	44S	TL	ο	44							
	!	70/90 - 17	"ROSSO-Sport--Παπιά"		>	ROSSO-Sport	38S	TL	=	48							
	!	80/90 - 17	"ROSSO-Sport--Παπιά"		>	ROSSO-Sport	44S	TL	=	56							
	!	90/80 - 17	"ANGEL-City--SuperΠαπιά"		>	ANGEL-City	46S	TL	=	79							
	!	120/70 - 17	"ANGEL-City--SuperΠαπιά"		>	ANGEL-City	58S	TL	=	101							
!	90/80 - 17	"ROSSO-Sport--SuperΠαπιά"		>	ROSSO-Sport	46S	TL	=	95								
!	120/70 - 17	"ROSSO-Sport--SuperΠαπιά"		>	ROSSO-Sport	58S	TL	ο	132								
ΠΑΠΙΑ	14"	2.25 - 14										V020	24B	TT	=	19	
	16"	2.1/4 - 16										V099/rf.	38J	TT	=	18	
	!	2.1/2 - 16										V099/rf.	42J	TT	=	22	
	!	2.3/4 - 16										V099/rf.	46J	TT	=	29	
	17"	50/45 - 17										V223-magic	22P	TT	=	22	
	!	60/45 - 17										V223-magic	29P	TT	=	25	
	!	70/45 - 17										V223-magic	39P	TT	=	29	
	!	45/90 - 17										V360-satan	19S	TT	=	22	
!	65/75 - 17										V266-Dragster	35S	TT	ο	44		

V	RIM	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER	index	TL	εο =	TIMH	PIRELLI	index	TL	εο =	TIMH	VeeMoto	index	TL	εο =	TIMH
<b>PDF Eraser Free SCOOTER (6" εως 11")</b>																	
SCOOTER	6"	5.4 - 6											V213	4PR	TT	ο	53
	8"	3.00 - 8											V113	37J	TT	=	20
	!	3.50 - 8											V108 / V164-enduro	45J	TT	=	27
	!	4.00 - 8											V108	55J	TT	=	28
	10"	2.50 - 10											V018	39J	TT	=	22
	!	2.75 - 10											V119B	40J	TT	=	23
	!	3.00 - 10											Samson-054	50J	TT	=	26
	!	3.00 - 10	ROADTEC-scoot/rf.	50J	TL	=	39	ANGEL-scoot/rf.	50J	TL	=	39	V396-Manhattan	42J	TL	=	28
	!	3.50 - 10											Samson-054	59J	TT	=	27
	!	3.50 - 10											V219-enduro	51J	TT	=	29
	!	3.50 - 10	ROADTEC-scoot/rf.	59J	TL	=	46	ANGEL-scoot/rf. (6PR)	59J	TL	=	46	V396-Manhattan/rf.	59J	TL	=	33
	!	80/90 - 10						ANGEL-scoot.	44J	TL	=	40					
	!	90/90 - 10	ROADTEC-scoot.	50J	TL	=	45	ANGEL-scoot.	50J	TL	=	45	V134	50J	TL	=	33
	!	100/80 - 10	ROADTEC-scoot.	53L	TL	=	46	ANGEL-scoot.	53L	TL	=	46	V396-Manhattan	53L	TL	=	33
	!	100/90 - 10	ROADTEC-scoot/rf.	61J	TL	=	46	ANGEL-scoot.	56J	TL	=	46	V396-Manhattan	56J	TL	=	33
SCOOTER	!	110/80 - 10	ROADTEC-scoot.	58L	TL	=	51	ANGEL-scoot.	58J	TL	=	51					
	!	120/70 - 10	ROADTEC-scoot/rf.	54L	TL	=	54	ANGEL-scoot/rf.	54L	TL	=	54	V396-Manhattan/rf.	54P	TL	=	39
	!	120/90 - 10	ROADTEC-scoot.	66L	TL	=	52	ANGEL-scoot.	66J	TL	=	52	V119B	66L	TL	=	38
	!	120/90 - 10										V137-enduro	66M	TL	=	38	
	!	130/70 - 10	ROADTEC-scoot/rf.	59L	TL	=	54	ANGEL-scoot/rf.	59L	TL	=	54					
	!	130/90 - 10	ROADTEC-scoot.	61L	TL	=	55	ANGEL-scoot.	61J	TL	=	55	V137-enduro	66M	TL	=	41
	11"	110/70 - 11						ANGEL-scoot.	45L	TL	=	54	V396-Manhattan	45L	TL	=	40
	!	120/70 - 11						ANGEL-scoot/rf.	56L	TL	=	54	V396-Manhattan/rf.	56L	TL	=	41
	!	130/70 - 11	*ROADTEC-scoot/rf.	60L	TL	=	59	ANGEL-scoot/rf.	60L	TL	=	59	*V134	60L	TL	=	47

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER				PIRELLI				VeeMoto						
			index	TL	ε ο =	TIMH	index	TL	ε ο =	TIMH	index	TL	ε ο =	TIMH			
<b>PDF Eraser Free</b>																	
<b>SCOOTER (12" &amp; 13")</b>																	
SCOOTER	12"	3.00 - 12									V094	43J	TT	=	30		
	!	90/90 - 12	ROADTEC-scoot.	44J	TL	=	63	ANGEL-scoot.	44J	TL	=	63	V396-Manhattan	44J	TL	=	44
	!	100/90 - 12	ROADTEC-scoot.	59J	TL	=	65	ANGEL-scoot.	59J	TL	=	65					
	!	110/70 - 12	ROADTEC-scoot.	47P	TL	=	54	ANGEL-scoot.	47P	TL	=	54	V396-Manhattan	47P	TL	=	40
	!	110/90 - 12	ROADTEC-scoot.	64P	TL	ε	70	ANGEL-scoot.	64P	TL	=	70	V396-Manhattan	64P	TL	=	52
	!	120/70 L 12						ANGEL-scoot.	51L	TL	=	55					
	!	120/70 P 12	ROADTEC-scoot.	51P	TL	ο	61	ANGEL-scoot/rf.	58P	TL	ο	61					
	!	120/70 P 12	ROADTEC-scoot.	51P	TL	=	61	ANGEL-scoot.	51P	TL	=	61	V396-Manhattan/rf.	58P	TL	=	45
	!	120/70 S 12						ANGEL-scoot.	51S	TL	ε	62					
	!	130/70 L 12	ROADTEC-scoot/rf.	62L	TL	ο	59	ANGEL-scoot.	56L	TL	=	58					
	!	130/70 P 12	ROADTEC-scoot/rf.	62P	TL	ο	65	ANGEL-scoot/rf.	62P	TL	=	65	V396-Manhattan/rf.	62P	TL	=	49
	!	140/70 - 12	ROADTEC-scoot.	60L	TL	=	69	ANGEL-scoot/rf.	65P	TL	ο	74					
	!	120/80 - 12										V133-enduro	65J	TL	=	49	
	!	130/80 - 12										V133-enduro	69J	TL	=	55	
	SCOOTER	13"	110/70 P 13	ROADTEC-scoot.	48P	TL	ε	61	ANGEL-scoot.	48P	TL	ε	61				
!		110/70 S 13	ROADTEC-scoot/rf.	54S	TL	=	62	ANGEL-scoot.	48S	TL	ε	62					
!		110/90 - 13	ROADTEC-scoot.	56P	TL	ε	71	ANGEL-scoot.	56P	TL	ε	71	V119B	56P	TL	ε	49
!		120/70 - 13	ROADTEC-scoot.	53L	TL	=	60	ANGEL-scoot.	53P	TL	ε	62					
!		130/60 - 13	ROADTEC-scoot.	53L	TL	=	57	ANGEL-scoot/rf.	60P	TL	=	62	V396-Manhattan/rf.	60P	TL	=	48
!		130/70 - 13	ROADTEC-scoot/rf.	63P	TL	ο	71	ANGEL-scoot/rf.	63P	TL	ο	71	V119C/rf.	63P	TL	ο	51
!		140/60 - 13	ROADTEC-scoot/rf.	63P	TL	ο	77	ANGEL-scoot/rf.	63P	TL	ο	77					
!		140/70 - 13						ANGEL-scoot.	61P	TL	ο	79					
!		150/70 - 13	ROADTEC-scoot.	64S	TL	ο	87	ANGEL-scoot.	64S	TL	ο	87					
!		150/70 - 13						ROSSO-scoot.	64S	TL	ο	89					

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER				PIRELLI				VeeMoto				
			index	TL	ε ο =	TIMH	index	TL	ε ο =	TIMH	index	TL	ε ο =	TIMH	
<b>PDF Eraser Free</b>															
<b>SCOOTER (14")</b>															
SCOOTER	14"	80/80 - 14	ROADTEC-scoot/rf.	43S	TL =	42	ANGEL-scoot/rf.	43S	TL ε	42					
	!	80/90 - 14					ROSSO-Sport	40S	TL =	44	V396-Manhattan/rf.	46P	TL =	32	
	!	90/80 - 14	ROADTEC-scoot/rf.	49S	TL ε	45	ANGEL-scoot/rf.	49S	TL =	45					
	!	90/90 - 14	ROADTEC-scoot.	46P	TL ε	55	ROSSO-Sport	46S	TL =	57	V396-Manhattan	46P	TL =	43	
	!	100/80 - 14	ROADTEC-scoot/rf.	54S	TL =	62	ANGEL-scoot/rf.	54S	TL =	62	V396-Manhattan/rf.	54P	TL =	47	
	!	100/80 - 14					ROSSO-Sport	48S	TL =	63					
	!	100/90 - 14	ROADTEC-scoot/rf.	57P	TL ο	73	ANGEL-scoot/rf.	57P	TL ο	73	V396-Manhattan/rf.	57P	TL =	55	
	!	100/90 - 14					ROSSO-Sport/rf.	57S	TL ο	76					
	!	110/70 - 14					ANGEL-scoot/rf.	56S	TL =	78					
	!	110/80 - 14	ROADTEC-scoot/rf.	59S	TL ε	61	ANGEL-scoot/rf.	59S	TL =	61	V396-Manhattan/rf.	59S	TL =	47	
	!	110/80 - 14					MT15-Mandrake/rf.	59J	TL ο	61					
	!	120/70 - 14	ROADTEC-scoot.	55S	TL =	73	ANGEL-scoot.	55P	TL =	72	V396-Manhattan	55S	TL =	54	
	!	120/70 - 14					ROSSO-scoot.	55S	TL ε	74					
	!	120/80 - 14	ROADTEC-scoot.	58S	TL =	79	ANGEL-scoot.	58P	TL =	78	V119B	58S	TL =	57	
	!	120/80 - 14					ROSSO-scoot.	58S	TL =	80					
	SCOOTER	!	140/60 P 14	ROADTEC-scoot/rf.	64P	TL ο	84	ANGEL-scoot/rf.	64P	TL ο	84				
		!	140/60 S 14					ANGEL-scoot/rf.	64S	TL ο	86				
		!	140/70 P 14	ROADTEC-scoot/rf.	68P	TL ο	89	ANGEL-scoot/rf.	68P	TL ο	89				
!		140/70 S 14	ROADTEC-scoot/rf.	68S	TL ο	91	ANGEL-scoot/rf.	68S	TL ο	91	V475-Emperor {NEW}	62S	TL ο	72	
!		150/70 P 14					ANGEL-scoot.	66P	TL ο	96					
!		150/70 S 14	ROADTEC-scoot.	66S	TL ο	98	ANGEL-scoot.	66S	TL ο	98	V475-Emperor {NEW}	66S	TL ο	79	
!		150/70 S 14					ANGEL-sco. Beverly-350	66S	TL ο	98					
!	150/70 S 14					ROSSO-scoot.	66S	TL ο	100						

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER	index	TL	€ O =	TIMH	PIRELLI	index	TL	€ O =	TIMH	VeeMoto	index	TL	€ O =	TIMH
<b>PDF Eraser Free SCOOTER (15" &amp; 16")</b>																	
SCOOTER	15"	80/90 - 15											V396-Manhattan	47P	TL	€	49
	!	120/70 P 15						ANGEL-scoot.	56P	TL	€	79	V224	56P	TL	€	58
	!	120/70 S 15	ROADTEC-scoot.	56S	TL	€	80	ANGEL-scoot.	56S	TL	€	80	V475-Emperor {NEW}	56S	TL	€	64
	!	120/70 S 15						ROSSO-scoot.	56S	TL	€	82					
	!	130/80 - 15						ANGEL-scoot.	63S	TL	o	97	V224	63P	TL	o	73
	!	140/70 - 15						Sport-DEMON/rf.	69P	TL	o	102					
	16"	80/80 - 16						MT15-Mandrake/rf.	45J	TL	€	50	V144/rf.	46J	TL	=	35
	!	90/80 - 16						MT15-Mandrake/rf.	51J	TL	=	57	V144/rf.	52J	TL	=	40
	!	90/80 - 16						ANGEL-scoot/rf.	51S	TL	=	57	V396-Manhattan/rf.	51S	TL	=	43
	!	100/80 - 16	ROADTEC-scoot.	50P	TL	€	70	ANGEL-scoot.	50P	TL	€	70	V396-Manhattan/rf.	50S	TL	=	50
	!	110/70 P 16	ROADTEC-scoot.	52P	TL	=	86	ANGEL-scoot.	52P	TL	=	86					
	!	110/70 S 16	ROADTEC-scoot.	52S	TL	€	87	ANGEL-scoot.	52S	TL	€	87	V396-Manhattan	52S	TL	=	62
	!	120/70 - 16						Sport-DEMON	57P	TL	€	89					
	!	120/80 - 16	ROADTEC-scoot.	60P	TL	o	83	ANGEL-scoot.	60P	TL	o	83	V396-Manhattan	60S	TL	=	59
	!	130/70 P 16						ANGEL-scoot.	61P	TL	o	100					
	!	130/70 S 16	ROADTEC-scoot.	61S	TL	o	102	ANGEL-scoot.	61S	TL	o	102	V396-Manhattan	61S	TL	=	75
	!	130/80 - 16	ROADTEC-scoot.	64P	TL	o	107	ANGEL-scoot.	64P	TL	o	107					
	!	140/70 - 16	ROADTEC-scoot.	65P	TL	o	98	ANGEL-scoot.	65P	TL	o	98	V396-Manhattan	65S	TL	=	74
SCOOTER	<b>SCOOTER "Rosso-RACE-SC" / Karoo-Street</b>																
	12"	100/90 - 12						> ROSSO-SC/rf. (+RACE)	64P	TL	€	79	<b>&lt; RACE &gt; SCOOTER</b>				
	!	120/80 - 12						> ROSSO-SC (+RACE)	55P	TL	o	94					
	14"	140/70 P 14	KAROO-Street m+s	62P	TL	o	165	> ROSSO-SC (+RACE)	62S	TL	o	102					
	15"	120/70 P 15	KAROO-Street m+s	56P	TL	€	140	> ROSSO-SC (+RACE)	56S	TL	€	91					

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER	index	TL	ε	ο	=	TIMH	PIRELLI	index	TL	ε	ο	=	TIMH	PIRELLI	index	TL	ε	ο	=	TIMH		
<b>PDF Eraser Free</b>																									
<b>SCOOTER (HR<sub>radial</sub> / SR<sub>radial</sub> / Rally-STR)</b>																									
H R - S R	14"	120/70 HR 14	Feel-Free (HR)	55HR	TL	ε			121	ROSSO-scoot. (HR)	55HR	TL	ε			149									
	!	160/60 HR 14	Feel-Free (HR)	65HR	TL	ο			142	ROSSO-scoot. (HR)	65HR	TL	ο			176									
	15"	120/70 HR 15	Feel-Free (HR)	56HR	TL	ε			123	ROSSO-scoot. (HR)	56HR	TL	ε			152									
	!	160/60 HR 15	Feel-Free (HR)	67HR	TL	ο			148	ROSSO-scoot. (HR)	67HR	TL	ο			184			Sco.-Rally-STR	m+s	67HR	TL	ο		207
	16"	120/70 HR 16								ROSSO-scoot. (HR)	57HR	TL	ε			159									
	!	130/70 SR 16	ROADTEC-scoot. (SR)	61SR	TL	ο			143	ANGEL-scoot. (SR)	61SR	TL	ο			143									
	17"	120/70 HR 17								ROSSO-scoot. (HR)	58HR	TL	ε			143			Sco.-Rally-STR	m+s	58HR	TL	ε		185

<b>Track--RACE (Slick)</b>																								
S L I C K	17"	100/70 R 17								>	SBKslick SC1 (RACE)	NHS	TL	ε		257								
	!	120/70 R 17								>	SBKslick SC1>2 (RACE)	NHS	TL	ο		305								
	!	110/70 R 17								>	SBKslick SC1 (RACE)	NHS	TL	ε		246								
	!	140/70 R 17								>	SBKslick SC1>2 (RACE)	NHS	TL	ο		275								
	!	120/70 R 17	>	RRslick K1>2 (RACE)	NHS	TL	ε		267	>	SBKslick SC1>3 (RACE)	NHS	TL	ε		296								
	!	125/70 R 17	>	RRslick K1 (RACE)	NHS	TL	ε		292	>	SBKslick SC1>3 (RACE)	NHS	TL	ε		312								
	!	180/60 R 17	>	RRslick K1>2 (RACE)	NHS	TL	ο		348															
	!	190/60 R 17								>	SBKslick SCX>1 (RACE)	NHS	TL	ο		420								
	!	200/60 R 17	>	RRslick K0>2 (RACE)	NHS	TL	ο		402	>	SBKslick SC0>3 (RACE)	NHS	TL	ο		448								
	!	200/65 R 17	>	RRslick K0 (RACE)	NHS	TL	ο		438	>	SBKslick SCX>3 (RACE)	NHS	TL	ο		452								

< RACE >  
SLICK

<b>Track--RACE (SM--Supermoto)</b>																								
S M	17"	125/75 R 420 <u>16,5</u>	>	SMslick K1>2 (RACE)	NHS	TL	ε		215	>	SM-RAIN (RACE)	NHS	TL	ε		246								
	!	125/75 R 17	>	SMslick K1>2 (RACE)	NHS	TL	ε		211	>	SM-RAIN (RACE)	NHS	TL	ε		246								
	!	165/55 R 17	>	SMslick K0>2 (RACE)	NHS	TL	ο		275	>	SM-RAIN (RACE)	NHS	TL	ο		322								

< RACE >  
SuperMoto

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER	index	TL	ε ο =	TIMH	PIRELLI	index	TL	ε ο =	TIMH	VeeMoto	index	TL	ε ο =	TIMH
<b>PDF Eraser Free</b>																	
<b>Track--DAYS (TD--Slick)</b>																	
T D	17"	120/70 R 17	>	TDslick (RACE)	NHS	TL	ε	232									
	!	180/55 R 17	>	TDslick (RACE)	NHS	TL	ο	267									
	!	180/60 R 17	>	TDslick (RACE)	NHS	TL	ο	272									
	!	190/55 R 17	>	TDslick (RACE)	NHS	TL	ο	275									
	!	200/55 R 17	>	TDslick (RACE)	NHS	TL	ο	285									
														<b>&lt; RACE &gt;</b> <u>TD--SLICK</u>			

<b>Track--RACE (Χαραχτά--Γόμεις)</b>																	
Γ Ο Μ Ε Σ	17"	110/70 VR 17	>	RRχαραχ. K1 (RACE)	54V	TL	ε	274	>	ScorsaV4 SC1 (RACE)	54V	TL	ε	315			
	!	120/70 ZR 17	>	RRχαραχ. K1>2 (RACE)	(58W)	TL	ε	293	>	ScorsaV4 SC1>2 (RACE)	58V	TL	ε	349			
	!	140/70 VR 17	>	RRχαραχ. K1 (RACE)	66V	TL	ο	314	>	ScorsaV4 SC1 (RACE)	66V	TL	ο	363			
	!	180/60 ZR 17	>	RRχαραχ. K1>2 (RACE)	(75W)	TL	ο	379	>	ScorsaV4 SC0>2 (RACE)	75V	TL	ο	474			
	!	200/55 ZR 17	>	RRχαραχ. K1>2 (RACE)	(78W)	TL	ο	411	>	ScorsaV4 SC1>2 (RACE)	78V	TL	ο	495			
														<b>&lt; RACE &gt;</b> <u>ΧΑΡΑΧΤΑ</u>			

<b>Track--ROAD (SP-V2 / SP-V4)</b>																	
T - R O A D	17"	110/70 ZR 17								SuperCorsa--V4 {SP}	54W	TL	ε	211			
	!	120/70 ZR 17								SuperCorsa--V4 {SP}	(58W)	TL	ε	272			*SuperCorsa-V2 {SP} (58W) TL ε 163
	!	140/70 ZR 17								SuperCorsa--V4 {SP}	66W	TL	ο	244			
	!	150/60 ZR 17								SuperCorsa--V4 {SP}	66W	TL	ο	254			
	!	180/55 ZR 17								SuperCorsa--V4 {SP}	(73W)	TL	ο	310			*SuperCorsa-V2 {SP} (73W) TL ο 221
	!	190/50 ZR 17								SuperCorsa--V4 {SP}	(73W)	TL	ο	325			
	!	190/55 ZR 17								SuperCorsa--V4 {SP}	(75W)	TL	ο	333			*SuperCorsa-V2 {SP} (75W) TL ο 235
	!	200/55 ZR 17								SuperCorsa--V4 {SP}	(78W)	TL	ο	349			
	!	200/60 ZR 17								SuperCorsa--V4 {SP}	(80W)	TL	ο	415			
														<b>SP-V2 Special-Edition {Track + Road} {-25%</b>			



V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER	index	TL	ε ο =	TIMH	PIRELLI	index	TL	ε ο =	TIMH	PIRELLI	index	TL	ε ο =	TIMH	
<b>PDF Eraser Free</b>																		
<b>Track--ROAD / HYPERSPORT</b>																		
T R A C K - R O A D	17"	120/70 ZR 17	M9 RR Sportec	(58W)	TL	ε	204	Diablo-ROSSO IV	(58W)	TL	ε	215	ROSSO IV Corsa	(58W)	TL	ε	230	
	!	160/60 ZR 17	M9 RR Sportec	(69W)	TL	ο	255	Diablo-ROSSO IV	(69W)	TL	ο	269						
	!	180/55 ZR 17	M9 RR Sportec	(73W)	TL	ο	269	Diablo-ROSSO IV	(73W)	TL	ο	283	ROSSO IV Corsa	(73W)	TL	ο	303	
	!	180/60 ZR 17	M9 RR Sportec	(75W)	TL	ο	278						ROSSO IV Corsa	(75W)	TL	ο	314	
	!	190/50 ZR 17	M9 RR Sportec	(73W)	TL	ο	283	Diablo-ROSSO IV	(73W)	TL	ο	295	ROSSO IV Corsa	(73W)	TL	ο	318	
	!	190/55 ZR 17	M9 RR Sportec	(75W)	TL	ο	292	Diablo-ROSSO IV	(75W)	TL	ο	306	ROSSO IV Corsa	(75W)	TL	ο	326	
	!	200/55 ZR 17	M9 RR Sportec	(78W)	TL	ο	297	Diablo-ROSSO IV	(78W)	TL	ο	312	ROSSO IV Corsa	(78W)	TL	ο	343	
	!	200/60 ZR 17						Diablo-ROSSO IV	(80W)	TL	ο	322	ROSSO IV Corsa	(80W)	TL	ο	379	
	19"	120/70 ZR 19	M9 RR Sportec	60W	TL	ε	195											
	17"	170/60 ZR 17	M9 RR Sportec	72W	TL	ο	250											

<b>SUPERSPORT (ZR)</b>																	
S U P E R S P O R T	16"	130/70 ZR 16	M7 RR Sportec(CBR-old)	(61W)	TL	ε	163										
	17"	110/70 ZR 17	M7 RR Sportec	54W	TL	ε	123										
	!	120/60 ZR 17	M7 RR Sportec	(55W)	TL	ε	125										
	!	120/70 ZR 17	M7 RR Sportec	(58W)	TL	ε	133	Diablo-ROSSO III / D	(58W)	TL	ε	183					
	!	150/60 ZR 17	M7 RR Sportec	66W	TL	ο	153										
	!	160/60 ZR 17	M7 RR Sportec	(69W)	TL	ο	168	Diablo-ROSSO III	(69W)	TL	ο	230					
	!	180/55 ZR 17	M7 RR Sportec	(73W)	TL	ο	177	Diablo-ROSSO III	(73W)	TL	ο	242					
	!	190/50 ZR 17	M7 RR Sportec	(73W)	TL	ο	184	Diablo-ROSSO III	(73W)	TL	ο	253					
	!	190/55 ZR 17	M7 RR Sportec	(75W)	TL	ο	191	Diablo-ROSSO III	(75W)	TL	ο	263					
	!	240/45 ZR 17						Diablo-ROSSO III	(82W)	TL	ο	292					

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER				PIRELLI				PIRELLI							
			index	TL	ε ο =	TIMH	index	TL	ε ο =	TIMH	index	TL	ε ο =	TIMH				
<b>PDF Eraser Free</b>			<b>SUPERSPORT (HR / ZR)</b>															
S U P E R S P O R T	17"	110/70 <> 17	M5 Sportec (HR)	54H	TL	ε	109											
	!	120/70 <> 17	M5 Sportec (ZR)	(58W)	TL	ε	116	ROSSO II (ZR) K / D	(58W)	TL	ε	129	*ROSSO II (HR)	2823	58H	TL	###	114
	!	150/60 HR 17	M5 Sportec (HR)	66H	TL	ο	135							DOT				
	!	160/60 <> 17	M5 Sportec (ZR)	(69W)	TL	ο	148	ROSSO II (ZR)	(69W)	TL	ο	162	*ROSSO II (HR)	2022	69H	TL	###	103
	!	180/55 ZR 17	M5 Sportec (ZR)	(73W)	TL	ο	157	ROSSO II (ZR)	(73W)	TL	ο	170						
	!	190/50 ZR 17						ROSSO II (ZR)	(73W)	TL	ο	178						
	!	190/55 ZR 17						ROSSO II (ZR)	(75W)	TL	ο	183						
	!	200/50 ZR 17						ROSSO II (ZR)	(75W)	TL	ο	208						
														<b>Rosso-II (HR) Last-Edition {10% / 35%}</b>				

			<b>HYPERTOUR (Heavy / Sport / RoadTec--02 NEW)</b>														
H Y P E R T O U R	17"	120/70 ZR 17	RoadTec-01 (HWM)	(58W)	TL	ε	189	Angel-GT2 (A)	(58W)	TL	ε	235	<b>METZELER RoadTec--02 (NEW)</b>				
	!	180/55 ZR 17	RoadTec-01 (HWM)	(73W)	TL	ο	249	Angel-GT2 (A)	(73W)	TL	ο	313					
	!	190/50 ZR 17	RoadTec-01 (HWM)	(73W)	TL	ο	260	Angel-GT2 (A)	(73W)	TL	ο	326					
	!	190/55 ZR 17	RoadTec-01 (HWM)	(75W)	TL	ο	270	Angel-GT2 (A)	(75W)	TL	ο	334					
	!	120/70 ZR 17	RoadTec-01 (SE-sport)	(58W)	TL	ε	181	Angel-GT2	(58W)	TL	ε	226	RoadTec-02 (NEW)	(58W)	TL	ε	202
	!	160/60 ZR 17	RoadTec-01 (SE-sport)	(69W)	TL	ο	228	Angel-GT2	(69W)	TL	ο	283	RoadTec-02 (NEW)	(69W)	TL	ο	254
	!	180/55 ZR 17	RoadTec-01 (SE-sport)	(73W)	TL	ο	241	Angel-GT2	(73W)	TL	ο	297	RoadTec-02 (NEW)	(73W)	TL	ο	269
	!	190/50 ZR 17	RoadTec-01 (SE-sport)	(73W)	TL	ο	251					RoadTec-02 (NEW)	(73W)	TL	ο	280	
!	190/55 ZR 17	RoadTec-01 (SE-sport)	(75W)	TL	ο	260					RoadTec-02 (NEW)	(75W)	TL	ο	290		
!	110/80 VR 19										RoadTec-02 (NEW)	59V	TL	ε	226		
!	150/70 VR 17										RoadTec-02 (NEW)	69V	TL	ο	264		
!	120/70 VR 19	RoadTec-01 (SE-sport)	60W	TL	ε	209	Angel-GT2	60V	TL	ε	254	RoadTec-02 (NEW)	60V	TL	ε	233	
!	170/60 VR 17	RoadTec-01 (SE-sport)	72W	TL	ο	245	Angel-GT2	72V	TL	ο	294	RoadTec-02 (NEW)	72V	TL	ο	273	

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER			PIRELLI			VeeMoto		
			index	TL	ε ο =	TIMH	index	TL	ε ο =	TIMH	
<b>PDF Eraser Free</b>											
S U P E R T O U R	17"	120/70 ZR 17	Z8-RoadTec (Interact)	(58W)	TL ε	142	Angel-GT	(58W)	TL ε	192	
	!	120/70 ZR 17					Angel-GT (A)	(58W)	TL ε	199	
	!	160/60 ZR 17	Z8-RoadTec (Interact)	(69W)	TL ο	176	Angel-GT	(69W)	TL ο	235	
	!	170/60 ZR 17	Z8-RoadTec (Interact)	(72W)	TL ο	189					
	!	180/55 ZR 17	Z8-RoadTec (Interact)	(73W)	TL ο	189	Angel-GT	(73W)	TL ο	251	
	!	180/55 ZR 17					Angel-GT (A)	(73W)	TL ο	262	
	!	190/50 ZR 17	Z8-RoadTec (Interact)	(73W)	TL ο	195	Angel-GT (A)	(73W)	TL ο	275	
	!	190/55 ZR 17					Angel-GT (A)	(75W)	TL ο	283	
	18"	110/80 ZR 18	Z8-RoadTec (Interact)	(58W)	TL ε	155					
	!	120/70 ZR 18	Z8-RoadTec (Interact)	(59W)	TL ε	150	Angel-GT	(59W)	TL ε	200	
	!	160/60 ZR 18	Z8-RoadTec (Interact)	(70W)	TL ο	187					
	19"	110/80 VR 19					Angel-GT	59V	TL ε	175	
	17"	150/70 <> 17	Z8-RoadTec (Interact)	(69W)	TL ο	184	Angel-GT	69V	TL ο	203	

<b>SPORTOUR</b>											
S T O U R	17"	120/70 ZR 17	*Z6-RoadTec (Sportour)	(58W)	TL ε	116	Angel-ST	(58W)	TL ε	148	
	!	160/60 ZR 17	*Z6-RoadTec (Sportour)	(69W)	TL ο	146	Angel-ST	(69W)	TL ο	185	
	!	180/55 ZR 17	*Z6-RoadTec (Sportour)	(73W)	TL ο	153	Angel-ST	(73W)	TL ο	195	
	!	190/50 ZR 17	*Z6-RoadTec (Sportour)	(73W)	TL ο	158	Angel-ST	(73W)	TL ο	203	

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER				PIRELLI				VeeMoto							
			index	TL	ε ο =	TIMH	index	TL	ε ο =	TIMH	index	TL	ε ο =	TIMH				
<b>PDF Eraser Free</b>																		
<b>CUSTOM</b>	15"	130/90 - 15	ME77-Perfect	66S	TL	ο	143	MT66-Route	66S	TT	ο	133	V195 Custom	66S	TT	ο	97	
	!	140/90 - 15	ME888-Marathon	70HB	TL	ο	260	MT66-Route	70H	TL	ο	177	V393R Cruze	76H	TL	ο	119	
	!	150/90 - 15	ME888-Marathon/rf.	80HB	TL	ο	280											
	!	170/80 - 15	ME888-Marathon	77HB	TL	ο	307	Night-DRAGON GT	77HB	TL	ο	239	V393R Cruze	77H	TL	ο	146	
	16"	130/90 - 16	ME888-Marathon	67HB	TL	ε	238	Night-DRAGON	67HB	TL	ε	196						
	!	130/90 - 16	ME888-Marathon/rf.	73HB	TL	ο	302	Night-DRAGON GT/rf.	73HB	TL	ο	247	V393R Cruze	73H	TL	ο	123	
	!	130/90 - 16	ME888-Marath(WW)	67H	TL	ε	315											
	!	130/90 - 16	ME888-Marath(WW)/rf	73HB	TL	ο	405											
	!	140/90 - 16	ME888-Marathon/rf.	77HB	TL	ο	315											
	!	150/80 - 16	ME888-Marathon	71H	TL	ε	292	Night-DRAGON	71HB	TL	ε	239						
<b>CUSTOM</b>	!	150/80 - 16	ME888-Marathon/rf.	77HB	TL	ο	311	Night-DRAGON GT/rf.	77HB	TL	ο	251						
	!	160/80 - 16	ME888-Marathon	75HB	TL	ο	353											
	!	170/70 - 16	ME888-Marathon	75HB	TL	ο	337											
	17"	120/70 - 17	ME888-Marathon	58VB	TL	ε	220											
	!	120/90 - 17	ME888-Marathon	64S	TT	ε	188	MT66-Route	64S	TT	ε	123						
	!	160/70 - 17	ME888-Marathon/rf.	79VB	TL	ο	324											
	!	170/60 - 17	ME888-Marathon/rf.	78VR	TL	ο	402											
	18"	3.00 - 18	ME77-Perfect	47S	TL	=	99	City-DEMON	47S	TL	ε	92						
	!	100/90 - 18	ME888-Marathon	56H	TL	ε	206											
	!	120/70 - 18	ME888-Marathon	(59W)	TL	ε	337											
<b>CUSTOM</b>	!	130/70 - 18	ME888-Marathon	63HB	TL	ε	223											
	19"	100/90 - 19	ME888-Marathon	57H	TL	ε	214	Night-DRAGON	57H	TL	ε	164	V393F Cruze	57H	TL	ε	89	
	!	110/90 - 19	ME888-Marathon	62H	TL	ε	231											
	21"	80/90 - 21	ME888-Marathon	48H	TL	ε	201											
	!	90/90 - 21	ME888-Marathon	54H	TL	ε	214											

**PDF Eraser Free** CUSTOM "SPECIAL--ORDERS" (15" εως 150/70--18")

C U S T O M - S P E C I A L - O R D E R S	15"	160/80 - 15	ME888-Marathon	74S TT o	226				
	!	170/80 - 15	ME888-Marath.(WW)	77HB TL o	408				
	!	180/70 - 15	ME888-Marathon	76HB TL o	285				
	!	200/70 - 15	ME888-Marathon	82HB TL o	323				
	16"	130/90 - 16	Cruisetec/rf.	73HB TL ε	301				
	!	130/90 - 16	Cruisetec/rf.	73HB TL o	301				
	!	140/90 - 16	ME888-Marath(WW)/rf	77HB TL o	422				
	!	150/80 - 16	Cruisetec	71H TL ε	291				
	!	150/80 - 16	Cruisetec/rf.	77HB TL o	310				
	!	180/60 - 16	ME888 / Cruisetec/rf.	80HR TL o	386				
	!	180/65 - 16	ME888 / Cruisetec/rf.	81HB TL o	357				
	!	180/70 - 16	ME888 / Cruisetec	77VR TL o	374				
	!	200/55 - 16	Cruisetec/rf.	77HR TL o	555				
	!	200/60 - 16	ME888-Marathon	79VR TL o	421				
	!	240/50 - 16	Cruisetec	84VR TL o	469				
	17"	130/80 - 17	ME888 / Cruisetec	65HB TL ε	222				
	!	140/75 - 17	ME888-Marathon	67VR TL ε	324				
	!	140/80 - 17	ME888-Marathon	69H TL ε	268				
	!	150/80 - 17	Cruisetec	72VR TL ε	329				
	!	160/70 - 17	Cruisetec/rf.	79VB TL o	323				
	!	200/55 - 17	ME888 / Cruisetec	78VR TL o	420				
	!	210/50 - 17	ME888-Marathon	(78W) TL o	474				
	18"	130/70 - 18	ME888-Marathon	63VR TL ε	311				
	!	130/70 - 18	Cruisetec	63HR TL ε	320				
	!	140/70 - 18	ME888-Marathon/rf.	73HB TL ε	274				
	!	150/70 - 18	ME888 / Cruisetec/rf.	76HB TL o	346				

**PDF Eraser Free** CUSTOM "SPECIAL--ORDERS" (18" εως 21")

S P E C I A L - O R D E R S	18"	180/55 - 18	ME888 / Cruisetec/rf.	80HB	TL	o	399					
	!	200/50 - 18	ME888-Marathon/rf.	82HR	TL	o	443					
	!	210/40 - 18	ME888-Marathon	73HR	TL	o	413					
	!	240/40 - 18	ME888 / Cruisetec	(79VR)	TL	o	451					
	!	260/40 - 18	ME888 / Cruisetec	(84VR)	TL	o	477					
	!	280/35 - 18	ME888-Marathon	(84VR)	TL	o	502					
	!	300/35 - 18	ME888-Marathon	(87VR)	TL	o	535					
	19"	100/90 - 19	Cruisetec	57H	TL	ε	214					
	!	100/90 - 19	ME888-Marath.(WW)	57H	TL	ε	289					
	!	110/90 - 19	Cruisetec	62H	TL	ε	231					
	!	120/70 - 19	ME888 / Cruisetec	(60W)	TL	ε	352					
	!	130/60 - 19	ME888 / Cruisetec	61HB	TL	ε	365					
	21"	120/70 - 21	ME888-Marathon	62V	TL	ε	276					

**STREET "S / H / V" (15" εως 16")**

S T R E E T	15"	130/90 - 15		MT66-Route	66S	TT	o	133	V195 Custom	66S	TT	o	97				
	!	130/90 - 15	ME77-Perfect	66S	TL	o	143	City-DEMON	66S	TL	o	139					
	!	140/90 - 15	ME77-Perfect	70S	TT	o	149	MT66-Route	70H	TL	o	177					
	16"	3.50 - 16							V159	66P	TT	o	55				
	!	100/90 - 16	RoadTec-01	54H	TL	ε	136										
	!	110/90 - 16	ME77-Perfect	59S	TT	ε	98										
	!	110/90 - 16	ME77-Perfect	59S	TL	o	119										
	!	120/90 - 16	ME77-Perfect	63H	TL	o	133	City-DEMON	63S	TL	o	131	V195 Custom	63S	TL	o	94
	!	130/90 - 16	RoadTec-01	67H	TL	ε	162										
	!	130/90 - 16	RoadTec-01	67V	TL	o	185										
	!	150/80 - 16	RoadTec-01	71H	TL	o	178										

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER	index	TL	εο	=	TIMH	PIRELLI	index	TL	εο	=	TIMH	VeeMoto	index	TL	εο	=	TIMH	
<b>PDF Eraser Free</b>																					
<b>STREET "S / H / V" (17")</b>																					
S T R E E T	17"	90/80 - 17	<b>"ANGEL-City--SuperΠαπιά"</b>						>	ANGEL-City	46S	TL	=	79							
	!	120/70 - 17							>	ANGEL-City	58S	TL	=	101							
	!	90/80 - 17	<b>"ROSSO-Sport--SuperΠαπιά"</b>						>	ROSSO-Sport	46S	TL	=	95							
	!	120/70 - 17							>	ROSSO-Sport	58S	TL	=	132							
S T R E E T	17"	3.00 - 17	ME22-sport/rf.	50P	TT	=	55								V158	47P	TT	=	41		
	!	80/90 - 17							ANGEL-City (Παπί)	44S	TL	o	44								
	!	80/100 - 17							ANGEL-City	46S	TL	ε	94								
	!	90/90 - 17							ANGEL-City	49S	TL	=	95								
	!	100/70 - 17							ANGEL-City	49S	TL	o	97								
	!	100/80 <> 17	RoadTec-01	52H	TL	ε	104		ANGEL-City	52S	TL	ε/o	103		V396-Manhattan	52P	TL	ε	67		
	!	100/80 - 17							ROSSO-Sport	52S	TL	=	109								
	!	100/90 - 17							ANGEL-City	55S	TL	o	108								
	!	110/70 - 17							ANGEL-City	54S	TL	=	105								
	!	110/70 - 17	RoadTec-01	54H	TL	ε	123		ROSSO-Sport	54S	TL	=	112								
	!	110/80 - 17	RoadTec-01	57H	TL	ε	135														
	S T R E E T	!	130/70 - 17	RoadTec-01	62H	TL	o	153		ANGEL-City	62S	TL	o	115		V396-Manhattan	62P	TL	o	82	
!		130/70 - 17							ROSSO-Sport	62S	TL	o	127								
!		130/80 - 17	RoadTec-01	65H	TL	o	169														
!		140/70 - 17	*SPORTEC-Street 2	66S	TL	=	137		ANGEL-City	66S	TL	o	129								
!		140/70 - 17	RoadTec-01	66H	TL	o	174		ROSSO-Sport	66S	TL	o	138								
!		140/80 - 17	RoadTec-01	69V	TL	o	196														
!		150/60 - 17							ANGEL-City	66S	TL	o	140								
!		150/60 - 17							ROSSO-Sport	66S	TL	o	149								
!	150/70 - 17	RoadTec-01	69V	TL	o	204															

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER			PIRELLI			VeeMoto					
			index	TL	ε ο =	TIMH	index	TL	ε ο =	TIMH				
<b>PDF Eraser Free</b>														
<b>STREET "S / H / V" (18" έως 19")</b>														
S T R E E T	18"	2.75 - 18	ME22-sport/rf.	48P	TL =	60	SUPER-City {NEW}	42P	TL ε	60	V160/rf.	48P	TL =	44
	!	3.00 - 18	ME22-sport/rf.	52P	TL =	79					V160	47P	TL =	52
	!	3.00 - 18	ME77-Perfect	47S	TL =	99	City-DEMON	47S	TL ε	92				
	!	3.25 - 18	ME22-sport/rf.	59P	TT =	84								
	!	3.50 - 18	ME22-sport/rf.	62P	TT =	95								
	!	80/100 - 18	RoadTec-01	47P	TL ε	96								
	!	90/90 - 18	RoadTec-01	51P	TL ο	105	SUPER-City {NEW}	51P	TL ο	79	V160	57P	TT =	54
	!	100/90 - 18	RoadTec-01	56H	TL ε	142					V160	56S	TL =	73
	!	100/90 - 18	RoadTec-01	56V	TL ε	153								
	!	110/90 - 18	RoadTec-01	61H	TL ο	161								
	!	120/80 - 18	RoadTec-01	62H	TL ο	168								
	!	130/80 - 18	Lasertec	(66V)	TL ο	199								
	!	100/90 - 19	Lasertec	57V	TL ε	175								
	!	90/90 <> 19	RoadTec-01	52H	TL ε	135					V158	52S	TT ε	65
!	100/90 - 19	RoadTec-01	57V	TL ε	157									

## ENDURO

### ENDURO--ST+ (MT60--RS)

M T 6 0	17"	120/70 ZR 17				MT60-RS	(58W)	TL ε	189				
	!	160/60 HR 17				MT60-RS	69HR	TL ο	248				
	!	180/55 ZR 17				MT60-RS	(73W)	TL ο	295				
	18"	110/80 HR 18				MT60-RS	58HR	TL ε	237				
	!	120/70 ZR 18				MT60-RS	(59W)	TL ε	248				



V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER index TL εο = TIMH				PIRELLI index TL εο = TIMH				PIRELLI index TL εο = TIMH														
<b>PDF Eraser Free</b>													<b>ENDURO--ST+ (Tourance--NEXT 2 / Scorpion-Trail II / Trail-III NEW)</b>												
E N D U R O - S T +	17"	120/70 ZR 17								Scorpion-Trail II	(58W)	TL	ε	168	Sco.Trail III {NEW}	(58W)	TL	ε	197						
	!	130/80 VR 17	Tourance-NEXT 2	65V	TL	ο	179			Scorpion-Trail II	65V	TL	ο	168	Sco.Trail III {NEW}	65V	TL	ο	194						
	!	140/80 VR 17	Tourance-NEXT 2	69V	TL	ο	203			Scorpion-Trail II	69V	TL	ο	189	Sco.Trail III {NEW}	69V	TL	ο	217						
	!	160/60 ZR 17								Scorpion-Trail II	(69W)	TL	ο	183	Sco.Trail III {NEW}	(69W)	TL	ο	203						
	!	180/55 ZR 17								Scorpion-Trail II	(73W)	TL	ο	249	Sco.Trail III {NEW}	(73W)	TL	ο	287						
	!	190/55 ZR 17								Scorpion-Trail II	(75W)	TL	ο	259	<b>Scorpion-Trail III {NEW}</b>										
	18"	100/90 - 18													Sco.Trail III {NEW}	56V	TL	ε	142						
	!	150/70 VR 18	Tourance-NEXT 2	70V	TL	ο	185			Scorpion-Trail II	70V	TL	ο	172	Sco.Trail III {NEW}	70W	TL	ο	226						
	19"	100/90 - 19	Tourance-NEXT 2	57V	TL	ε	158								Sco.Trail III {NEW}	57V	TL	ε	165						
	21"	90/90 - 21	Tourance-NEXT 2	54V	TL	ε	149			Scorpion-Trail II	54V	TL	ε	139	Sco.Trail III {NEW}	(54V)	TL	ε	172						
19"	110/80 VR 19	Tourance-NEXT 2	59V	TL	ε	159			Scorpion-Trail II	59V	TL	ε	149	Sco.Trail III {NEW}	59V	TL	ε	172							
17"	150/70 VR 17	Tourance-NEXT 2	69V	TL	ο	198			Scorpion-Trail II	69V	TL	ο	185	Sco.Trail III {NEW}	69V	TL	ο	213							
19"	120/70 VR 19	Tourance-NEXT 2 / B	60V	TL	ε	160			Scorpion-Trail II	60V	TL	ε	149	Sco.Trail III {NEW}	60V	TL	ε	173							
17"	170/60 VR 17	Tourance-NEXT 2 / B	72V	TL	ο	204			Scorpion-Trail II	72V	TL	ο	189	Sco.Trail III {NEW}	72V	TL	ο	217							
19"	120/70 ZR 19	Tourance-NEXT 2	60W	TL	ε	164			Scorpion-Trail II D	60W	TL	ε	151	Sco.Trail III / D {NEW}	60W	TL	ε	175							
17"	170/60 ZR 17	Tourance-NEXT 2	72W	TL	ο	210			Scorpion-Trail II D	72W	TL	ο	194	Sco.Trail III / D {NEW}	72W	TL	ο	225							
													<b>ENDURO--ST+ (Tourance--NEXT)</b>												
E N D U R O - S T +	19"	110/80 VR 19	*Tourance-NEXT	59V	TL	ε	149																		
	17"	150/70 VR 17	*Tourance-NEXT	69V	TL	ο	187																		
	19"	120/70 VR 19	*Tourance-NEXT	60V	TL	ε	149																		
	17"	170/60 VR 17	*Tourance-NEXT	72V	TL	ο	190																		

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER	index	TL	ε ο =	TIMH	PIRELLI	index	TL	ε ο =	TIMH	VeeMoto	index	TL	ε ο =	TIMH	
<b>PDF Eraser Free</b>																		
<b>ENDURO--ST (Tourance--NEW)</b>																		
E N D U R O - S T	17"	120/90 - 17	Tourance (NEW)	64S	TT	o	119											
	!	130/80 S 17	Tourance (NEW)	65S	TT	o	135											
	!	130/80 SR 17	Tourance (NEW)	65S	TL	o	137											
	!	130/80 HR 17	Tourance (NEW)	65H	TL	o	146											
	!	140/80 HR 17	Tourance (NEW)	69H	TL	o	164											
	18"	120/80 - 18	Tourance (NEW)	62S	TT	o	108											
	19"	100/90 S 19	Tourance (NEW)	57S	TT	ε	119											
	!	100/90 H 19	Tourance (NEW)	57H	TL	ε	128											
	21"	90/90 S 21	Tourance (NEW)	54S	TT	ε	119											
	!	90/90 H 21	Tourance (NEW)	54H	TL	ε	128											
	19"	110/80 H 19	Tourance (NEW)	59H	TL	ε	121											
	17"	150/70 HR 17	Tourance (NEW)	69H	TL	o	168											
	19"	110/80 VR 19	Tourance (NEW)	59V	TL	ε	128											
17"	150/70 VR 17	Tourance (NEW)	69V	TL	o	172												

<b>KAROO--4 / Scorpion-Rally "DESERT"</b>																		
K A R O O	17"	130/80 - 17	KAROO-4 m+s (RAD)	65Q	TL	o	212						V474 Hitman-55 (A/T)	65Q	TL	o	103	
	!	140/80 - 17	KAROO-4 m+s (RAD)	69Q	TL	o	224											
	18"	140/80 - 18	KAROO-4 m+s	70S	TL	o	216	Sco. Rally Race / Desert	70R	TT	o	228		V474 Hitman-55 (A/T)	70Q	TL	o	115
	!	150/70 - 18	KAROO-4 m+s (RAD)	70T	TL	o	227							V474 Hitman-55 (A/T)	70Q	TL	o	132
	19"	100/90 - 19	KAROO-4 m+s	57S	TL	ε	209											
	21"	90/90 - 21	KAROO-4 m+s	54T	TL	ε	174	Sco. Rally Race / Desert	54R	TT	ε	173		V474 Hitman-55 (A/T)	54Q	TL	ε	89
	19"	110/80 - 19	KAROO-4 m+s (RAD)	59T	TL	ε	212							V474 Hitman-55 (A/T)	59Q	TL	ε	93
	17"	150/70 - 17	KAROO-4 m+s (RAD)	69T	TL	o	235							V474 Hitman-55 (A/T)	69Q	TL	o	128
	19"	120/70 - 19	KAROO-4 m+s (RAD)	60T	TL	ε	212											
	17"	170/60 - 17	KAROO-4 m+s (RAD)	72T	TL	o	266											

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER	index	TL	εο =	TIMH	PIRELLI	index	TL	εο =	TIMH	VeeMoto	index	TL	εο =	TIMH
<b>PDF Eraser Free</b>																	
<b>ENDURO--AT</b>																	
E N D U R O - A T	14"	180/80 - 14											V275 (A/T) {Rear}	78P	TT	o	114
	16"	120/90 - 16											V163 (A/T)	63P	TL	o	87
	17"	3.00 - 17											V022 (A/T)	48R	TT	=	44
	!	4.60 - 17											V022 (A/T)	62R	TT	o	76
	!	110/90 - 17						MT60 (A/T)	60P	TT	o	132	V307 (A/T)	60P	TL	o	91
	!	120/90 - 17	Sahara-3 (A/T)	64S	TT	o	143	MT60 (A/T)	64S	TT	o	143	V163 (A/T)	64T	TT	o	92
	!	130/80 - 17	Sahara-3 (A/T) MST	65S	TT	o	146	MT60 (A/T) MST	65H	TL	o	146	V163 (A/T)	65S	TL	o	99
	!	130/80 - 17	Sahara-3 (A/T)	65T	TL	o	158										
	!	140/80 - 17	Sahara-3 (A/T) MST	69H	TT	o	162	MT60 (A/T) MST	69H	TL	o	162					
	18"	3.00 - 18												V022 (A/T)	52R	TT	=
!	4.10 - 18												V221 (A/T)	60P	TT	o	76
!	4.60 - 18												V221 (A/T)	63P	TT	o	85
!	120/80 - 18	Sahara-3 (A/T) MST	62S	TT	o	139											
!	130/80 - 18												V274 (A/T) {Front}	66P	TT	ε	85
!	140/80 - 18	Sahara-3 (A/T) MST	70S	TT	o	162											
!	150/70 VR 18						*Sco. MT90 (A/T)	70V	TL	o	213						
E N D U R O - A T	19"	2.75 - 19											V022 (A/T)	49R	TT	=	40
	!	90/90 - 19						MT60 (A/T)	52P	TT	ε	105	V307 (A/T)	52P	TL	ε	76
	!	90/100 - 19											V163 (A/T)	55P	TL	ε	77
	!	100/90 - 19						MT60 (A/T)	57H	TL	ε	121					
	21"	2.75 - 21											V221 (A/T)	45P	TT	ε	50
	!	3.00 - 21											V221 (A/T)	51P	TT	ε	58
	!	90/90 - 21	Sahara-3 (A/T) MST	54S	TT	ε	122	MT60 (A/T) MST	54H	TL	ε	122	V163 (A/T)	54S	TL	ε	77
	!	90/90 - 21	Sahara-3 (A/T) MST	54H	TL	ε	131	*Sco. MT90 (A/T)	54V	TL	ε	155					

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER	index	TL	ε ο =	TIMH	PIRELLI	index	TL	ε ο =	TIMH	VeeMoto	index	TL	ε ο =	TIMH
<b>PDF Eraser Free</b>																	
<b>ENDURO--Street / Rally</b>																	
E N D - S T R	17"	110/70 <> 17	KAROO-Street m+s	54S	TL	ε	201	Sco.-Rally-STR m+s	54H	TL	ε	184					
	!	120/70 <> 17	KAROO-Street m+s	58V	TL	ε	206	Sco.-Rally-STR m+s	58H	TL	ε	185					
	!	130/80 VR 17	KAROO-Street m+s	65V	TL	ο	243	Sco.-Rally-STR m+s	65V	TL	ο	232					
	!	140/70 - 17	KAROO-Street m+s	66S	TL	ο	202										
	!	140/80 VR 17	KAROO-Street m+s	69V	TL	ο	238	Sco.-Rally-STR m+s	69V	TL	ο	234					
	!	150/60 HR 17						Sco.-Rally-STR m+s	66H	TL	ο	213					
	!	180/55 VR 17	KAROO-Street m+s	73V	TL	ο	333	Sco.-Rally-STR m+s	73V	TL	ο	318					
	18"	110/80 HR 18						Sco.-Rally-STR m+s	58H	TL	ε	197					
	!	150/70 VR 18	KAROO-Street m+s	70V	TL	ο	235	Sco.-Rally-STR m+s	70V	TL	ο	228					
	19"	100/90 - 19	KAROO-Street m+s	57V	TL	ε	208	Sco.-Rally-STR m+s	57V	TL	ε	199					
	21"	90/90 - 21	KAROO-Street m+s	54V	TL	ε	179	Sco.-Rally-STR m+s	54V	TL	ε	174					
	19"	110/80 VR 19	KAROO-Street m+s	59V	TL	ε	219	Sco.-Rally-STR m+s	59V	TL	ε	208					
	17"	150/70 VR 17	KAROO-Street m+s	69V	TL	ο	243	Sco.-Rally-STR m+s	69V	TL	ο	233					
	19"	120/70 VR 19	KAROO-Street m+s	60V	TL	ε	217	Sco.-Rally-STR m+s	60V	TL	ε	209					
17"	170/60 VR 17	KAROO-Street m+s	72V	TL	ο	275	Sco.-Rally-STR m+s	72V	TL	ο	266						

<b>ENDURO XC (Mid-HARD)</b>																	
X C	18"	100/100 - 18						Scorpion-XC (mid-HARD)	59R	TT	ο	109					
	!	110/100 - 18						Scorpion-XC (mid-HARD)	64M	TT	ο	116					
	!	140/80 - 18						Scorpion-XC (mid-HARD)	70M	TT	ο	124					
	21"	80/100 - 21						Scorpion-XC (mid-HARD)	51R	TT	ε	89					

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER				PIRELLI				VeeMoto				
			index	TL	ε O =	TIMH	index	TL	ε O =	TIMH	index	TL	ε O =	TIMH	
<b>PDF Eraser Free</b>															
<b>ENDURO (FIM)</b>															
E N D U R O - F I M	18"	110/80 - 18	MCE-6days (MEDIUM)	58R	o	124									
	!	120/90 - 18	MCE-6days (MEDIUM)	65M	o	126									
	!	130/90 - 18	MCE-6days (Standard)	69M	o	129									
	!	140/80 - 18	MCE-6days (ExtraSOFT)	70M	white o	148									
	!	140/80 - 18	MCE-6days (SuperSOFT)	70M	green o	145									
	!	140/80 - 18	MCE-6days (SOFT)	70M	orange o	136									
	!	140/80 - 18	MCE-6days (MEDIUM)	70M	red o	129									
	!	140/80 - 18	MCE-6days (Standard)	70M	o	129					V211 (FIM)	70R	FIM	o	83
	21"	80/90 - 21	MCE-6days (Standard)	48R	ε	87									
	!	90/90 - 21	MCE-6days (SOFT)	54M	orange ε	99									
	!	90/90 - 21	MCE-6days (Standard)	54R	ε	92					V211 (FIM)	54R	FIM	ε	58
	!	90/100 - 21	MCE-6days (SuperSOFT)	57M	green ε	119									
!	90/100 - 21	MCE-6days (Standard)	57R	ε	107										

<b>ENDURO (Rally--Cross)</b>																
R A L L Y - C R O S S	17"	4.10 - 17									V147 (Rally-Cross)	67P	TT	o	59	
	!	120/90 - 17					MT21 Rally-Cross	64R	TT	o	121					
	!	130/90 - 17					MT21 Rally-Cross	68P	TT	o	128	V147 (Rally-Cross)	68P	TT	o	93
	18"	110/80 - 18					MT21 Rally-Cross	58P	TT	o	92					
	!	120/80 - 18					MT21 Rally-Cross	62R	TT	o	117					
	!	120/90 - 18					MT21 Rally-Cross	65R	TT	o	124	V147 (Rally-Cross)	69R	TT	o	89
	!	130/90 - 18					MT21 Rally-Cross	69R	TT	o	128					
	!	140/80 - 18					MT21 Rally-Cross	70R	TT	o	130	V147 (Rally-Cross)	70R	TT	o	92
	21"	80/90 - 21					MT21 Rally-Cross	48P	TT	ε	71					
	!	90/90 - 21					MT21 Rally-Cross	54R	TT	ε	83	V147 (Rally-Cross)	54R	TT	ε	59

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER	index	TL	εο	=	TIMH	PIRELLI	index	TL	εο	=	TIMH	VeeMoto	index	TL	εο	=	TIMH	
<b>PDF Eraser Free</b>																					
<b>CROSS (JUNIOR Mid-SOFT)</b>																					
J U N I O R - M X	10"	2.50 - 10							> MX32 (RACE Mid-SOFT)	33J	TT	ε		52	> V140 (Mid-SOFT)	33J	TT	=		24	
	!	2.75 - 10							> MX32 (RACE Mid-SOFT)	37J	TT	ο		81							
	12"	60/100 - 12							> MX32 (RACE Mid-SOFT)	36M	TT	ε		60							
	!	80/100 - 12							> MX32 (RACE Mid-SOFT)	50M	TT	ο		92	> V140 (Mid-SOFT)	41M	TT	ο		44	
	14"	60/100 - 14							> MX32 (RACE Mid-SOFT)	29M	TT	ε		61							
	!	90/100 - 14							> MX32 (RACE Mid-SOFT)	49M	TT	ο		101							
	16"	90/100 - 16							> MX32 (RACE Mid-SOFT)	51M	TT	ο		106	> V140 (Mid-SOFT)	51M	TT	ο		59	
	!	70/100 - 17							> MX32 (RACE Mid-SOFT)	40M	TT	ε		76	> V140 (Mid-SOFT)	40M	TT	=		40	
19"	70/100 - 19							> MX32 (RACE Mid-SOFT)	42M	TT	ε		86	> V140 (Mid-SOFT)	42M	TT	ε		45		

< RACE--Junior >  
Mid--SOFT

<b>CROSS (Mid-HARD)</b>																				
M I D - H A R D	18"	100/100 - 18	MC360 (Mid-HARD)	59M	TT	ο		109							Force A/T (Mid-HARD)	59M	TT	ο		76
	!	110/100 - 18	MC360 (Mid-HARD)	64M	TT	ο		114							Force A/T (Mid-HARD)	64M	TT	ο		79
	!	120/100 - 18	MC360 (Mid-HARD)	68M	TT	ο		118												
	!	140/80 - 18	MC360 (Mid-HARD)	70M	TT	ο		126												
	19"	100/90 - 19							MX-EXTRA (Mid-HARD)	57M	TT	ο		109	V500 (Mid-HARD)	57M	TT	ο		78
	!	110/90 - 19	*MC360 (Mid-HARD)	62M	TT	ο		117	MX-EXTRA (Mid-HARD)	62M	TT	ο		117	V500 (Mid-HARD)	62M	TT	ο		84
	!	120/80 - 19	*MC360 (Mid-HARD)	63M	TT	ο		121												
	!	90/90 - 21	MC360 (Mid-HARD)	54M	TT	ε		93	MX-EXTRA (Mid-HARD)	51M	TT	ε		87	Force/500 (Mid-HARD)	51M	TT	ε		63

<b>CROSS (Mid-HARD / RACE)</b>																				
R A C E	19"	100/90 - 19	> MC360R (Mid-HARD)	NHS	TT	ο		115	> MX32 (Mid-HARD)	NHS	TT	ο		124	<p>&lt; RACE &gt; <u>Mid--HARD</u></p>					
	!	110/90 - 19	> MC360R (Mid-HARD)	NHS	TT	ο		120	> MX32 (Mid-HARD)	NHS	TT	ο		129						
	!	120/80 - 19	> MC360R (Mid-HARD)	NHS	TT	ο		124	> MX32 (Mid-HARD)	NHS	TT	ο		134						
	21"	80/100 - 21	> MC360R (Mid-HARD)	MST	TT	ε		92	> MX32 (Mid-HARD)	MST	TT	ε		99						

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER index TL εο = TIMH				PIRELLI index TL εο = TIMH				VeeMoto index TL εο = TIMH														
<b>PDF Eraser Free</b>													<b>CROSS (Mid-SOFT)</b>												
M - S O F T	18"	100/100 - 18	MC360 (Mid-SOFT)	59M	TT	ο	109																		
	!	110/100 - 18	MC360 (Mid-SOFT)	64M	TT	ο	114																		
	!	120/80 - 18	MC360 (Mid-SOFT)	62R	TT	ο	114																		
	!	120/100 - 18	MC360 (Mid-SOFT)	68M	TT	ο	118																		
	!	140/80 - 18	MC360 (Mid-SOFT)	70M	TT	ο	126																		
	21"	90/90 - 21	MC360 (Mid-SOFT)	54M	TT	ε	93																		

<b>CROSS (Mid-SOFT / RACE)</b>																							
R A C E	19"	100/90 - 19	>	MC360R (Mi-SOFT)	NHS	TT	ο	118	>	MX32 (Mid-SOFT)	NHS	TT	ο	129	<b>&lt; RACE &gt;</b> <u>Mid--SOFT</u>								
	!	110/85 - 19							>	MX32 (Mid-SOFT)	NHS	TT	ο	127									
	!	110/90 - 19	>	MC360R (Mi-SOFT)	NHS	TT	ο	123	>	MX32 (Mid-SOFT)	NHS	TT	ο	135									
	!	120/80 - 19	>	MC360R (Mi-SOFT)	NHS	TT	ο	127	>	MX32 (Mid-SOFT)	NHS	TT	ο	139									
	!	120/90 - 19							>	MX32 (Mid-SOFT)	NHS	TT	ο	143									
	21"	80/100 - 21	>	MC360R (Mi-SOFT)	MST	TT	ε	96	>	MX32 (Mid-SOFT)	MST	TT	ε	103									
	!	90/100 - 21							>	MX32 (Mid-SOFT)	M+S	TT	ε	108									

<b>MOUSSE (Enduro / Cross)</b>																								
M O U S S E	18"	140/80 - 18	MOUSSE (E-18H1)	End-Med. METZ			184																	
	21"	90/90 - 21	MOUSSE (E-21C1)	End-Med. METZ			184																	
	!	90/100 - 21	MOUSSE (E-21C2)	End-Med. METZ			184																	
	19"	110/90 - 19								MOUSSE (X-19E1)	MX-Med. PIR			184										
	!	120/80 - 19								MOUSSE (X-19F1)	MX-Med. PIR			184										
	21"	80/100 - 21								MOUSSE (X-21B2)	MX-Med. PIR			184										
	GEL	GEL--Mousse	MOUSSE--GEL (Can x 1 Kg.)	METZELER			53			MOUSSE--GEL (Can x 1 Kg.)	PIRELLI			53										

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER index	TL εο =	TIMH	PIRELLI index	TL εο =	TIMH	VeeMoto index	TL εο =	TIMH
<b>PDF Eraser Free</b>											
<b>ATV "ON / OFF"</b>											
A T V	6"	145/70 - 6							V196 WorkHorse	2PR	TL = 32
	7"	16 x 8 - 7							V196 WorkHorse	2PR	TL = 44
	8"	22 x 11 - 8							V337 Enduro	2PR	TL = 93
A T V	9"	22 x 11 - 9							V337 Enduro	2PR	TL = 112
	12"	24 x 8 - 12							V326F Enduro	4PR	TL ε 98
	!	24 x 10 - 12							V326R Enduro	4PR	TL o 101
A T V	8"	20 x 7 - 8							V208 Speedway	4PR	TL = 59
	10"	21 x 7 - 10							V208 Speedway	4PR	TL = 67
	!	22 x 8 - 10							V208 Speedway	4PR	TL = 72
A T V	!	22 x 11 - 10							V189 Grizzly	4PR	TL = 123
	12"	25 x 8 - 12							V189 Grizzly	4PR	TL = 112
	!	25 x 10 - 12							V189 Grizzly	4PR	TL = 127

<b>ΑΕΡΟΘΑΛΑΜΟΙ "CROSS"</b>											
C R O S S	18"	100/100 - 18							Αερθ. Vee--CROSS	TR4	HD 17,0
	!	110/100 - 18	Αερθ. CROSS (CR-18F) {100 > 140 - 18}	26,0	Αερθ. CROSS (21B-18) {100 > 140 - 18}	26,0		Αερθ. Vee--CROSS	TR4	HD 18,0	
	!	120/100 - 18						Αερθ. Vee--CROSS	TR4	HD 19,0	
	19"	100/90 - 19						Αερθ. Vee--CROSS	TR4	HD 17,0	
	!	110/90 - 19	Αερθ. CROSS (CR-19E) {100 > 120 - 19}	26,0	Αερθ. CROSS (21B-19) {100 > 120 - 19}	26,0		Αερθ. Vee--CROSS	TR4	HD 18,0	
	!	120/80 - 19						Αερθ. Vee--CROSS	TR4	HD 19,0	
	21"	80/100 - 21	Αερθ. CROSS (CR-21D) {80 > 90 - 21}	23,0	Αερθ. CROSS (10B-21) {80 > 90 - 21}	23,0		Αερθ. Vee--CROSS	TR4	HD 16,0	



## PDF Eraser Free

## ΑΕΡΟΘΑΛΑΜΟΙ "SAMSON"

S A M S O N	3.00/3.50 - 10	<b>SAMSON--Tubes &lt; In Bag &gt; (by VeeRubber)</b>	> Αερθ. SAMSON (bag) TR87 {90}	5,7
	2.00/2.25 - 17		> Αερθ. SAMSON (bag) TR4 ίσια	4,9
	2.25/2.50 - 17		> Αερθ. SAMSON (bag) TR4 ίσια	5,1
	2.50/2.75 - 17		> Αερθ. SAMSON (bag) TR4 ίσια	5,4

## ΑΕΡΟΘΑΛΑΜΟΙ (ΜΟΤΟ εως 14")

Α Ε Ρ Ο Θ Α Λ Α Μ Ο Ι	6"	5.4 - 6						Αερθ. VeeMoto (box) TR87 {90}	11,3		
	8"	2.50 - 8						Αερθ. VeeMoto (box) TR87 {90}	6,5		
	!	3.00 - 8						Αερθ. VeeMoto (box) TR87 {90}	6,5		
	!	3.50/4.00 - 8						Αερθ. VeeMoto (box) TR87 {90}	7,5		
	10"	2.50/2.75 - 10			MA-10 TR4 ίσια	11,0		Αερθ. VeeMoto (box) TR87 {90}	6,5		
	!	3.00/3.50 - 10	*Me D-10 (Off-8mm) TR4	ίσια	11,3	10-C10 (Off-5mm) TR87 {90}	11,0	> Αερθ. SAMSON (bag) TR87 {90}	5,7		
	!	3.50/4.00 - 10						Αερθ. VeeMoto (box) TR87 {90}	8,9		
	!	120/130 - 10						Αερθ. VeeMoto (box) TR87 {90}	8,9		
	12"	60/100 - 12				MH-12 TR4	ίσια	13,5			
	!	80/100 - 12				MA-12 TR4	ίσια	13,5			
	!	3.00/3.25 - 12						Αερθ. VeeMoto (box) TR4	ίσια	7,5	
	!	120/130 - 12						Αερθ. VeeMoto (box) TR87 {90}	9,9		
	13"	130/60 - 13						Αερθ. VeeMoto (box) TR87 {90}	9,5		
	14"	2.00/2.25 - 14				MA-14 (60/100 - 14) TR4	ίσια	13,5	Αερθ. VeeMoto (box) TR4	ίσια	5,7
	!	2.75/3.00 - 14						Αερθ. VeeMoto (box) TR4	ίσια	6,9	
	!	4.10 - 14				MB-14 (90/110 - 14) TR4	ίσια	13,5	Αερθ. VeeMoto (box) TR4	ίσια	8,7
!	180/80 - 14						Αερθ. VeeMoto (box) TR4	ίσια	19,8		

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER valve <b>ίσια</b> {90} <b>TIMH</b>				PIRELLI valve <b>ίσια</b> {90} <b>TIMH</b>				VeeMoto valve <b>ίσια</b> {90} <b>TIMH</b>					
<b>PDF Eraser Free</b>													<b>ΑΕΡΟΘΑΛΑΜΟΙ (ΜΟΤΟ 15" εως 21")</b>			
Α Ε Ρ Ο Θ Α Λ Α Μ Ο Ι	15"	130/140 - 15	Me F-16	TR4	(15+16)	13,5	MD-16	TR4	(15+16)	13,5	Αερθ. VeeMoto (box)	TR87 ή TR4	10,2			
	!	170/80 - 15	Me E-15	TR4	ίσια	22,0					Αερθ. VeeMoto (box)	TR87 {90}	19,8			
	16"	2.00/2.25 - 16					7A-16 (2.25 / 2.50 - 16)	TR4	ίσια	11,0	Αερθ. VeeMoto (box)	TR4	ίση	5,9		
	!	2.50/2.75 - 16									Αερθ. VeeMoto (box)	TR4	ίση	6,5		
	!	3.00/3.25 - 16									Αερθ. VeeMoto (box)	TR4	ίση	7,8		
	!	3.25/3.50 - 16	Me C-16	TR4	ίση	13,5	MB-16	TR4	ίση	13,5	Αερθ. VeeMoto (box)	TR4	ίση	7,8		
	!	4.50/5.10 - 16	Me F-16	TR4	(15+16)	13,5	MD-16	TR4	(15+16)	13,5	Αερθ. VeeMoto (box)	TR4	ίση	11,5		
	17"	45/90 - 17									Αερθ. VeeMoto (box)	TR4	ίση	5,2		
	!	2+2.1/2 - 16+17									Αερθ. VeeMoto (box)	TR4	(16+17)	5,7		
	!	2.00/2.25 - 17									> Αερθ. SAMSON (bag)	TR4	ίση	4,9		
	!	2.25/2.50 - 17					7A-17	TR4	ίση	11,0	> Αερθ. SAMSON (bag)	TR4	ίση	5,1		
	!	2.50/2.75 - 17	Me CD-17	TR4	ίση	13,5					> Αερθ. SAMSON (bag)	TR4	ίση	5,4		
	!	2.75/3.00 - 17	Me CD-17	TR4	ίση	13,5	MA-17	TR4	ίση	13,5	Αερθ. VeeMoto (box)	TR4	ίση	7,5		
	!	120/80+90 - 17	Me E-17*	TR4	ίση	13,5	MC-17	TR4	ίση	13,5	Αερθ. VeeMoto (box)	TR4	ίση	10,7		
	!	4.50/5.10 - 17	Me F-17B	TR4	ίση	13,5	MD-17	TR4	ίση	13,5	Αερθ. VeeMoto (box)	TR4	ίση	11,8		
	18"	2.50/2.75 - 18	Me C-18	TR4	ίση	13,5					Αερθ. VeeMoto (box)	TR4	ίση	6,8		
	!	3.00/3.25 - 18					MA-18	TR4	ίση	13,5	Αερθ. VeeMoto (box)	TR4	ίση	7,9		
	!	3.25/4.10 - 18	Me E-18Y	TR4	ίση	13,5	MB-18	TR4	ίση	13,5	Αερθ. VeeMoto (box)	TR4	ίση	8,1		
	!	4.00/4.50 - 18	Me F-18Y	TR4	ίση	13,5	MD-18	TR4	ίση	13,5	Αερθ. VeeMoto (box)	TR4	ίση	11,2		
	19"	2.75/3.00 - 19	Me D-19	TR4	ίση	13,5	MA-19	TR4	ίση	13,5	Αερθ. VeeMoto (box)	TR4	ίση	7,7		
!	3.25/4.10 - 19	Me E-19	TR4	ίση	13,5	MC-19	TR4	ίση	13,5	Αερθ. VeeMoto (box)	TR4	ίση	8,5			
21"	2.75/3.00 - 21	Me C/D-21	TR4	ίση	13,5	MA-21	TR4	ίση	13,5	Αερθ. VeeMoto (box)	TR4	ίση	8,3			
!	90/90 - 21	Me C/D-21	TR4	ίση	13,5	MA-21	TR4	ίση	13,5	Αερθ. VeeMoto (box)	TR4	ίση	8,5			

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER	index	TIMH	PIRELLI	index	TIMH	VeeMoto	BOX x 5	TIMH
<b>PDF Eraser Free</b>											
<b>ΦΑΚΑΡΟΛΕΣ--Bands (ΜΟΤΟ 15" εως 21")</b>											
B A N D S	15"	120/170 - 15							ΦΑΚΑΡΟΛΑ 15` x 35mm	BOX x 5	15,0
	17"	2.50/2.75 - 17							ΦΑΚΑΡΟΛΑ 17` x 25mm	BOX x 5	15,0
	!	3.00/4.00 - 17							ΦΑΚΑΡΟΛΑ 17` x 30mm	BOX x 5	15,0
	!	120/170 - 17							ΦΑΚΑΡΟΛΑ 17` x 35mm	BOX x 5	15,0
	18"	120/170 - 18							ΦΑΚΑΡΟΛΑ 18` x 35mm	BOX x 5	15,0
	19"	3.00/120 - 19							ΦΑΚΑΡΟΛΑ 19` x 30mm	BOX x 5	15,0
	21"	3.00/100 - 21							ΦΑΚΑΡΟΛΑ 21` x 30mm	BOX x 5	15,0

ΦΑΚΑΡΟΛΕΣ---VeeMoto (25 εως 35mm πλάτος & 15" εως 21"inch. Ζάντα)

TIMH = BOX x 5 >> 15,0