

ΠΑΠΙΑ

ΠΑΠΙΑ

ΠΑΠΙΑ

ΠΑΠΙΑ

17"	60/100 - 17	ME22 <i>sport</i>	33L	TT	ε	26			V359	33P	TT	ε	19				
	2.50 - 17	ME22 <i>sport</i> /rf. (4PR)	43P	TT	=	27	Angel-CiTy/rf.	43P	TT	=	27	V359	38P	TT	=	20	
	2.75 - 17	ME22 <i>sport</i> /rf. (6PR)	47P	TT	=	29	Angel-CiTy/rf.	47P	TT	o	29	V359	41P	TT	=	22	
	2.50 - 17						City-Cross	38P	TT	=	27	V022 <i>enduro</i>	43R	TT	=	22	
	2.75 - 17						City-Cross/rf.	47P	TT	=	29	V022 <i>enduro</i>	47R	TT	=	25	
	70/90 - 17	Sportec {STR}	38S	TL	=	27	Angel-CiTy	38S	TL	ε	27	Manhattan (WAVE)	43P	TT	ε	22	
	80/90 - 17	Sportec {STR}	44S	TL	=	30	Angel-CiTy	44S	TL	o	30	Manhattan (WAVE)	50P	TT	o	25	
S P O	70/90 - 17	RossoSPORT {Sport Παπιά @}					RossoSPORT (sport@)	38S	TL	=	31						
	80/90 - 17		RossoSPORT (sport@)	44S	TL	=	36										
s u p e r	90/80 - 17	Sportec {STR-super@}	46S	TL	=	59	ANGEL-City (super@)	46S	TL	=	59						
	120/70 - 17	Sportec {STR-super@}	58S	TL	=	74	ANGEL-City (super@)	58S	TL	=	74						
	90/80 - 17	RossoSPORT {Super Παπιά @}					RossoSPORT (super@)	46S	TL	=	69						
	120/70 - 17		RossoSPORT (super@)	58S	TL	o	95										
17"	50/45 - 17											V165tiger / V223magic	22P	TT	=	17	
	60/45 - 17											V165tiger / V223magic	29P	TT	=	19	
	70/45 - 17											V165tiger / V223magic	39P	TT	=	21	
	45/90 - 17											V360 <i>satan</i>	19S	TT	=	17	
	65/75 - 17											V266 <i>Dragster-slick</i>	35S	TT	o	35	
	14"	2.25 - 14										V020	24B	TT	=	14	
	16"	2.1/4 - 16											V099/rf.	38J	TT	=	14
		2.1/2 - 16											V099/rf.	42J	TT	=	17
		2.3/4 - 16											V099/rf.	46J	TT	=	24

PDF Eraser Free

SCOOTER (6" εως 11")

S C O O T E R	6"	5.4 - 6							V213	4PR	TT	o	43				
	8"	3.00 - 8							V113	37J	TT	=	15				
		3.50 - 8							V108 / V164 enduro	45J	TT	=	20				
		4.00 - 8							V108	55J	TT	=	22				
	S C O O T E R	10"	2.50 - 10							V018	39J	TT	=	17			
			2.75 - 10							V119B	40J	TT	=	18			
		3.00 - 10							Samson-054	50J	TT	=	17				
		3.00 - 10	Roadtec-scoot/rf.	50J	TL	=	28	Angel-scoot/rf.	50J	TL	=	28	V396-Manhattan	42J	TL	=	22
		3.50 - 10											Samson-054	59J	TT	=	20
		3.50 - 10	*ME1/rf.	59J	TL	=	32						V219 enduro	51J	TT	=	22
3.50 - 10		Roadtec-scoot/rf.	59J	TL	=	32july	Angel-scoot/rf.(6PR)	59J	TL	=	32	V396-Manhattan /rf.	59J	TL	=	25	
80/90 - 10							Angel-scoot.	44J	TL	=	29						
90/90 - 10		Roadtec-scoot.	50J	TL	=	32	Angel-scoot.	50J	TL	=	32	V134	50J	TL	=	25	
100/80 - 10		*ME7-teen	53L	TL	=	32					V144	53L	TL	=	25		
100/80 - 10		Roadtec-scoot.	53L	TL	=	32	Angel-scoot./ *SL38	53L	TL	=	32						
100/90 - 10		Roadtec-scoot/rf.	61J	TL	=	32	Angel-scoot.	56J	TL	=	32	V396-Manhattan	56J	TL	=	28	
110/80 - 10		Roadtec/rf. / *ME7	58L	TL	=	37july	Angel-scoot.	58J	TL	=	37						
120/70 - 10		Roadtec/rf. / *ME7	54L	TL	=	39july	Angel/rf. / *SL38/rf.	54L	TL	=	39	Manhattan /rf./ V144	54P/L	TL	=	30	
120/90 - 10	Roadtec-scoot. <u>new</u>	66L	TL	=	37	Angel-scoot.	66J	TL	=	37	V119B	66L	TL	=	30		
120/90 - 10						*SL60 enduro	57J	TL	=	37	V137 enduro	66M	TL	=	30		
130/90 - 10	Roadtec-scoot. <u>new</u>	61L	TL	=	39	Angel / *SL60 enduro	61J	TL	=	39	V137 enduro	66M	TL	=	34		
130/70 - 10	Roadtec-scoot/rf.	59L	TL	=	39	Angel-scoot/rf.	59L	TL	=	39							
S C O O T E R	11"	110/70 - 11					*SL38	45L	TL	=	38						
		110/70 - 11					Angel-scoot.	45L	TL	=	38	V396-Manhattan	45L	TL	=	30	
		120/70 - 11					Angel-scoot./rf.	56L	TL	=	37	V396-Manhattan /rf.	56L	TL	=	30	
		130/70 - 11	Roadtec-scoot/rf.	60L	TL	=	44july	Angel-scoot./rf.	60L	TL	=	44	V134	60L	TL	=	36



<ΔΙΑΣΤΑΣΕΙΣ>

METZELER

<ΠΕΛΑΜΑ>

index

TL
TT

ε ο
=

TIMH

PIRELLI

<ΠΕΛΑΜΑ>

index

TL
TT

ε ο
=

TIMH

VeeMoto

<ΠΕΛΑΜΑ>

index

TL
TT

ε ο
=

TIMH

PDF Eraser Free

SCOOTER (12" εως 13")

S
C
O
O
T
E
R

12"	3.00 - 12								V094	43J	TT	=	22
	90/90 - 12								V396-Manhattan	44J	TL	=	33
	100/90 - 12												
	110/70 - 12	Roadtec-scoot.	47P	TL	=	38			V396-Manhattan	47P	TL	=	30
	110/90 - 12	Roadtec-scoot.	64P	TL	ε	49	July		V396-Manha. / *V119	64P	TL	=	39
	110/100 - 12												
	120/70 - 12												
	120/70 - 12	Roadtec-scoot.	51P	TL	o	43	July						
	120/70 - 12	Roadtec-scoot.	51P	TL	=	43			V396-Manhattan /rf.	58P	TL	=	35
	120/70 - 12	*ME7-teen	51L	TL	=	43							
	130/70 - 12	*ME7-teen	56L	TL	=	47							
	130/70 - 12	Roadtec-scoot/rf.	62P	TL	o	47			V396-Manhattan /rf.	62P	TL	=	38
	120/80 - 12								V133 enduro	65J	TL	ε	34
	130/80 - 12								V133 enduro	69J	TL	o	37
	140/70 - 12	Roadtec-scoot.	60L	TL	=	52							

S
C
O
O
T
E
R

GP	100/90 - 12	ROSSO-SC { Race Mini-GP }						ROSSO-SC=Race/rf.	64P	TL	ε	58		
	120/80 - 12						ROSSO-SC=Race	55P	TL	o	69			
13"	110/70 P 13	Roadtec-scoot.	48P	TL	ε	43		Angel-scoot.	48P	TL	ε	43		
	110/70 S 13							Angel-scoot.	48S	TL	ε	44		
	110/70 P 13							ROSSO-scoot.	48P	TL	ε	46		
	110/90 - 13	Roadtec-scoot.	56P	TL	ε	49		Angel-scoot.	56P	TL	ε	49	V119B	56P TL ε 38
	120/70 - 13	Roadtec-scoot.	53L	TL	=	44		Angel-scoot.	53P	TL	ε	44	V342	53P TL ε 35
	120/70 - 13							ROSSO-scoot.	53P	TL	ε	46		
	130/60 - 13	Roadtec-scoot.	53P	TL	ε	46		Angel-scoot/rf.	60P	TL	=	46	V396-Manhattan /rf.	60P TL = 37
	130/70 - 13	Roadtec-scoot/rf.	63P	TL	o	50		Angel-scoot/rf.	63P	TL	o	50	V119C/rf	63P TL o 40



<ΔΙΑΣΤΑΣΕΙΣ>

METZELER

<ΠΕΛΑΜΑ>

index

TL
TT

ε ο
=

TIMH

PIRELLI

<ΠΕΛΑΜΑ>

index

TL
TT

ε ο
=

TIMH

VeeMoto

<ΠΕΛΑΜΑ>

index

TL
TT

ε ο
=

TIMH

PDF Eraser Free

SCOOTER (13" εως 14")

S
C
O
O
T
E
R

S
C
O
O
T
E
R

13"	130/70 - 13					ROSSO-scoot/rf.	63P	TL	o	52						
	140/60 - 13	Roadtec-scoot.	57L	TL	=	54	Angel-scoot/rf.	63P	TL	o	54	V342	57P	TL	o	42
	140/70 - 13						Angel-scoot.	61P	TL	o	57					
	140/70 - 13						ROSSO-scoot. <u>new</u>	61P	TL	o	59					
	150/70 - 13	Roadtec-scoot.	64S	TL	o	61	Angel-scoot.	64S	TL	o	61					
	150/70 - 13						ROSSO-scoot.	64S	TL	o	63					
14"	70/90 - 14	Sportec {STR}	34S	TL	ε	25										
	80/80 - 14	Sportec {STR}/rf.	43S	TL	=	27	Angel-scoot/rf.	43S	TL	ε	30	V087/rf.	43J	TT	=	21
	80/80 - 14						Rosso-SPORT /rf.	43S	TL	=	32					
	80/90 - 14	Sportec {STR}	40S	TL	ε	27	Rosso-SPORT	40S	TL	=	32	V396-Manhattan /rf.	46P	TL	=	25
	90/80 - 14	Sportec {STR}/rf.	49S	TL	ε	29	Angel-scoot/rf.	49S	TL	=	32	V396-Manhattan	43P	TL	=	27
	90/80 - 14	Roadtec-scoot/rf.	49S	TL	ε	33	Rosso-SPORT /rf.	49S	TL	=	35					
	90/90 - 14	Sportec {STR}	46S	TL	ε/o	35						V396-Manhattan	46P	TL	=	30
	90/90 - 14	Roadtec-scoot.	46P	TL	ε	45	Rosso-SPORT	46S	TL	=	47					
	100/80 - 14	Sportec {STR}	48S	TL	o	45	Angel-scoot/rf.	54S	TL	=	47	V396-Manhattan /rf.	54P	TL	=	36
	100/80 - 14	Roadtec-scoot/rf.	54S	TL	=	47	ROSSO-scooter/rf.	54S	TL	=	49	V144/rf	54J	TL	=	36
	100/80 - 14						Rosso-SPORT	48S	TL	=	49					
	100/90 - 14	Sportec {STR}/rf.	57P	TL	o	45	Angel-scoot/rf.	57P	TL	o	53	V396-Manhattan /rf.	57P	TL	=	39
	100/90 - 14	Roadtec-scoot/rf.	57P	TL	o	53	Rosso-SPORT /rf.	57S	TL	o	55					
	110/70 - 14						Angel-scoot/rf.	56S	TL	o	58					
	110/80 - 14	Sportec {STR}/rf.	59S	TL	o	41	MT15-Mandrake/rf.	59J	TL	o	45	V144/rf	59J	TL	o	36
	110/80 - 14	Roadtec-scoot/rf.	59S	TL	ε	45	Angel-scoot/rf.	59S	TL	=	45	V396-Manhattan /rf.	59S	TL	=	36
	120/70 - 14	Roadtec-scoot.	55S	TL	=	50	Angel-scoot.	55P	TL	=	50					
	120/70 - 14						ROSSO-scoot.	55S	TL	ε	53	V396-Manhattan	55S	TL	=	42
120/80 - 14	Roadtec-scoot.	58S	TL	=	55	Angel-scoot.	58P	TL	=	55	V119B	58S	TL	=	44	
120/80 - 14						ROSSO-scoot.	58S	TL	=	58						



<ΔΙΑΣΤΑΣΕΙΣ>

METZELER
<ΠΕΛΑΜΑ>

index

TL
TT

ε ο
=

TIMH

PIRELLI
<ΠΕΛΑΜΑ>

index

TL
TT

ε ο
=

TIMH

VeeMoto
<ΠΕΛΑΜΑ>

index

TL
TT

ε ο
=

TIMH

PDF Eraser Free

SCOOTER (14" εως 16")

S
C
O
O
T
E
R

S
C
O
O
T
E
R

14"	140/60 P 14	Roadtec-scoot/rf.	64P	TL	o	60 _{july}	Angel-scoot/rf.	64P	TL	o	60	V319	64S	TL	o	49
	140/60 S 14						Angel-scoot/rf.	64S	TL	o	62					
	140/70 P 14	Roadtec-scoot/rf.	68P	TL	o	62	Angel-scoot/rf.	68P	TL	o	62					
	140/70 S 14						Angel-scoot/rf.	68S	TL	o	64	V319	62S	TL	o	51
	150/70 P 14						Angel-scoot.	66P	TL	o	68					
	150/70 S 14	Roadtec-scoot.	66S	TL	o	70	Angelscot-Beverly350	66S	TL	o	70					
	150/70 S 14						ROSSO-scoot.	66S	TL	o	73					
15"	80/90 - 15											V144	51J	TL	ε	35
	120/70 P 15						Angel-scoot.	56P	TL	ε	55	V224 sport	56P	TL	ε	44
	120/70 S 15	Roadtec-scoot.	56S	TL	ε	56	Angel-scoot.	56S	TL	ε	56					
	120/70 S 15						ROSSO-scoot.	56S	TL	ε	59					
	130/80 - 15						Angel-scoot.	63S	TL	o	72	V224 sport	63P	TL	o	57
	140/70 - 15						Sport-Demon/rf.	69P	TL	o	77					
16"	80/80 - 16						MT15-Mandrake/rf.	45J	TL	ε	35	V144/rf	46J	TL	=	27
	90/80 - 16						MT15-Mandrake/rf.	51J	TL	=	40	V144/rf	52J	TL	=	32
	90/80 - 16						Angel-scoot/rf.	51S	TL	=	40	V396-Manhattan /rf.	51S	TL	=	32
	100/80 - 16	Roadtec-scoot.	50P	TL	ε	49	Angel-scoot.	50P	TL	ε	49	V396-Manhattan /rf.	50S	TL	=	39
	110/70 P 16	Roadtec-scoot.	52P	TL	ε	62	Angel-scoot.	52P	TL	=	62					
	110/70 S 16	Roadtec-scoot.	52S	TL	ε	63	Angel-scoot.	52S	TL	ε	63	V396-Manhattan	52S	TL	=	49
	120/70 - 16						Sport-Demon	57P	TL	ε	67					
	120/80 - 16	Roadtec-scoot.	60P	TL	o	57	Angel-scoot.	60P	TL	o	57	V396-Manhattan	60S	TL	=	45
	130/70 - 16						Angel-scoot.	61P	TL	o	72					
	130/70 - 16	Roadtec-scoot.	61S	TL	o	74	Angel-scoot.	61S	TL	o	74	V396-Manhattan	61S	TL	=	58
	130/80 - 16	Roadtec-scoot.	64P	TL	o	75 _{july}	Angel-scoot.	64P	TL	o	75					
	140/70 - 16	Roadtec-scoot.	65P	TL	o	67	Angel-scoot.	65P	TL	o	67	V396-Manhattan	65S	TL	=	55

PDF Eraser Free

SCOOTER (HONDA X-ADV)

X - A D V	130/70 - 13	TOURANCEscoo. <u>xADV</u>	57P	TL	ο	58	HONDA { X-ADV 150 }			
	110/80 - 14	TOURANCEscoo. <u>xADV</u>	53P	TL	ε	63				
	160/60 HR 15	HONDA { X-ADV 750 }				Sco-Rally {STR} <u>xADV</u>	67HR	TL	ο	148
	120/70 HR 17					Sco-Rally {STR} <u>xADV</u>	58HR	TL	ε	135

S
C
O
O
T
E
R
-
H
R

SCOOTER (HRadial)

14"	120/70 HR 14	Roadtec-scoot.(HR)	55HR	TL	ε	99	ROSSO-scoot. (HR)	55HR	TL	ε	105
	160/60 HR 14	Roadtec-scoot.(HR)	65HR	TL	ο	117 _{oct.}	ROSSO-scoot. (HR)	65HR	TL	ο	124
15"	120/70 HR 15	Roadtec-scoot.(HR)	56HR	TL	ε	102 _{oct.}	ROSSO-scoot. (HR)	56HR	TL	ε	107
	160/60 HR 15	Roadtec-scoot.(HR)	67HR	TL	ο	122 _{oct.}	ROSSO-scoot. (HR)	67HR	TL	ο	128
16"	120/70 HR 16					ROSSO-scoot. (HR)	57HR	TL	ε	114	
	130/70 SR 16	Roadtec-scoot.(SR)	61SR	TL	ο	99	Angel-scoot. (SR)	61SR	TL	ο	99
17"	120/70 HR 17					ROSSO-scoot. (HR)	58HR	TL	ε	103	

Track--RACE (Slick)

R
A
C
E
-
S
L
I
C
K

17"	100/70 R 17					SupBike- <i>slick</i> (moto3)	sc1	TL	ε	195	
	120/70 R 17					SupBike- <i>slick</i> (moto3)	sc1	TL	ο	215	
	110/70 R 17					SupBike- <i>slick</i> (ss300)	sc1	TL	ε	182	
	140/70 R 17					SupBike- <i>slick</i> (ss300)	sc1	TL	ο	204	
	120/70 R 17	RacetecRR- <i>slick</i>	κ1>2	TL	ε	198	SupBike- <i>slick</i>	sc1>3	TL	ε	219
	125/70 R 17					SupBike- <i>slick</i>	sc1>3	TL	ε	232	
	180/60 R 17	RacetecRR- <i>slick</i>	κ1>2	TL	ο	257	SupBike- <i>slick</i>	sc1>3	TL	ο	287
	190/60 R 17					SupBike- <i>slick</i> <u>new</u>	sc0>1	TL	ο	312	
	200/60 R 17	RacetecRR- <i>slick</i>	κ0>2	TL	ο	295	SupBike- <i>slick</i>	sc0>3	TL	ο	332
	200/65 R 17					SupBike- <i>slick</i> <u>+SCX</u>	sc1>3	TL	ο	337	

PDF Eraser Free

Track--RACE (TD--Slick)

R A C E - S L I C K	17"	120/70 R 17	TD- <i>slick</i> <u>new</u>	NHS	TL	ε	169				
		180/55 R 17	TD- <i>slick</i> <u>new</u>	NHS	TL	ο	203				
		180/60 R 17	TD- <i>slick</i> <u>new</u>	NHS	TL	ο	208				
		190/55 R 17	TD- <i>slick</i> <u>new</u>	NHS	TL	ο	211				
		200/55 R 17	TD- <i>slick</i> <u>new</u>	NHS	TL	ο	219				

Track--RACE (Super--Moto SM)

S M		125/75 R <u>420</u>	Racetec-SM (16,5`)	κ1>2	TL	ε	170				
		125/75 R 17	Racetec-SM	κ1>2	TL	ε	165				
		165/55 R 17	Racetec-SM	κ0>2	TL	ο	215				

Track--RACE (Χαρακτά)

T - R A C E	17"	110/70 ZR 17						SuperCorsa-V3 (SC)	sc1	TL	ε	233			
		120/70 ZR 17	Racetec-RR	κ1>2	TL	ε	217	SuperCorsa-V3 (SC)	sc1>2	TL	ε	259			
		140/70 ZR 17						SuperCorsa-V3 (SC)	sc1	TL	ο	268			
		150/60 ZR 17						SuperCorsa-V3 (SC)	sc1>2	TL	ο	279			
		180/60 ZR 17	Racetec-RR	κ1>2	TL	ο	281	SuperCorsa-V3 (SC)	sc0>2	TL	ο	352			
		190/55 ZR 17	Racetec-RR <u>new</u>	κ1>2	TL	ο	254	SuperCorsa-V3 (SC)	sc2	TL	ο	347			
		200/55 ZR 17	Racetec-RR	κ1>2	TL	ο	305	SuperCorsa-V3 (SC)	sc1>2	TL	ο	365			
		200/60 ZR 17						SuperCorsa-V3 (SC)	sc1	TL	ο	398			

T	r	a	c	k	-	R	O	A	D	PDF Eraser Free				Track--ROAD /// HYPER--SPORT				SuperCorsa-V1 (BSB)			
----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	------------------------	--	--	--	-------------------------------------	--	--	--	----------------------------	--	--	--

17"	120/70 ZR 17			SuperCorsa-V3 (SP) (58W) TL ε	192	*SuperCorsa-V1 (BSB) (58W) TL ε	151
	180/55 ZR 17			SuperCorsa-V3 (SP) (73W) TL ο	223	*SuperCorsa-V1 (BSB) (73W) TL ο	194
	190/50 ZR 17			SuperCorsa-V3 (SP) (73W) TL ο	233		
	190/55 ZR 17			SuperCorsa-V3 (SP) (75W) TL ο	240	*SuperCorsa-V1 (BSB) (75W) TL ο	203
	200/55 ZR 17			SuperCorsa-V3 (SP) (78W) TL ο	252		
	200/60 ZR 17			SuperCorsa-V3 (SP) (80W) TL ο	284		

17"	120/70 ZR 17			ROSSO-Corsa II (58W) TL ε	132		
	160/60 ZR 17			ROSSO-Corsa II (69W) TL ο	169		
	180/55 ZR 17			ROSSO-Corsa II (73W) TL ο	179		
	180/60 ZR 17			ROSSO-Corsa II (75W) TL ο	187		
	190/50 ZR 17			ROSSO-Corsa II (73W) TL ο	189		
	190/55 ZR 17			ROSSO-Corsa II (75W) TL ο	191		
	200/55 ZR 17			ROSSO-Corsa II (78W) TL ο	202		
	200/60 ZR 17			ROSSO-Corsa II (80W) TL ο	204		

H	Y	P	E	R	S	P	O	R	T	120/70 ZR 17	M9 RR sportec (58W) TL ε	152	Dia-ROSSO IV <u>new</u> (58W) TL ε	165	Dia-ROSSO III / D (58W) TL ε	152
										160/60 ZR 17	M9 RR sportec (69W) TL ο	188	Dia-ROSSO IV <u>new</u> (69W) TL ο	208	Dia-ROSSO III (69W) TL ο	188
										180/55 ZR 17	M9 RR sportec (73W) TL ο	199	Dia-ROSSO IV <u>new</u> (73W) TL ο	218	Dia-ROSSO III (73W) TL ο	199
										180/60 ZR 17	M9 RR sportec (75W) TL ο	206				
										190/50 ZR 17	M9 RR sportec (73W) TL ο	208	Dia-ROSSO IV <u>new</u> (73W) TL ο	229	Dia-ROSSO III (73W) TL ο	208
										190/55 ZR 17	M9 RR sportec (75W) TL ο	217	Dia-ROSSO IV <u>new</u> (75W) TL ο	238	Dia-ROSSO III (75W) TL ο	217
										200/55 ZR 17	M9 RR sportec (78W) TL ο	220	Dia-ROSSO IV <u>new</u> (78W) TL ο	241	*Dia-ROSSO III (78W) TL ο	220
										240/45 ZR 17					Dia-ROSSO III <u>new</u> (82W) TL ο	229
	17"	170/60 VR 17	M9 RR sportec <u>new</u> 72V TL ο	181												
19"	120/70 VR 19	M9 RR sportec <u>new</u> 60V TL ε	142													



<ΔΙΑΣΤΑΣΕΙΣ>

METZELER

<ΠΕΛΑΜΑ>

index

TL
TT

ε ο
=

TIMH

PIRELLI

<ΠΕΛΑΜΑ>

index

TL
TT

ε ο
=

TIMH

VeeMoto

<ΠΕΛΑΜΑ>

index

TL
TT

ε ο
=

TIMH

PDF Eraser Free

SUPER--SPORT (ZR / HR)

S
U
P
E
R
S
P
O
R
T

16"	130/70 ZR 16	M7 RR sportec new (61W)	TL	ε	119					
17"	110/70 ZR 17	M7 RR sportec new (54W)	TL	ε	95	ROSSO-II (ZR)	54W	TL	ε	95
	120/60 ZR 17	M7 RR sportec new (55W)	TL	ε	97	ROSSO-II (ZR)	(55W)	TL	ε	97
	120/70 ZR 17	M7 RR sportec (58W)	TL	ε	103	ROSSO-II (ZR) K / D	(58W)	TL	ε	103
	150/60 ZR 17	M7 RR sportec new (66W)	TL	ο	118					
	160/60 ZR 17	M7 RR sportec (69W)	TL	ο	129	ROSSO-II (ZR)	(69W)	TL	ο	129
	180/55 ZR 17	M7 RR sportec (73W)	TL	ο	138	ROSSO-II (ZR)	(73W)	TL	ο	138
	190/50 ZR 17	M7 RR sportec (73W)	TL	ο	143	ROSSO-II (ZR)	(73W)	TL	ο	143
	190/55 ZR 17	M7 RR sportec (75W)	TL	ο	148	*ROSSO-II (ZR)	(75W)	TL	ο	148
	200/50 ZR 17					ROSSO-II (ZR)	(75W)	TL	ο	153
	240/45 ZR 17					*ROSSO-II (ZR)	(82W)	TL	ο	182

17"	110/70 HR 17	M5 sportec (H-R) (54H)	TL	ε	82	ROSSO-II (H-R)	54H	TL	ε	89
	120/60 HR 17					ROSSO-II (H-R)	55H	TL	ε	90
	120/70 <> 17	*M5 sportec (ZR) (58W)	TL	ε	95	ROSSO-II (H-R)	58H	TL	ε	95
	140/70 HR 17					ROSSO-II (H-R)	66H	TL	ο	102
	150/60 HR 17	M5 sportec (H-R) (66H)	TL	ο	101	ROSSO-II (H-R)	66H	TL	ο	109
	160/60 <> 17	*M5 sportec (ZR) (69W)	TL	ο	121	ROSSO-II (H-R)	69H	TL	ο	121
	180/55 ZR 17	*M5 sportec (ZR) (73W)	TL	ο	129					
	190/55 ZR 17	*M5 sportec (ZR) (75W)	TL	ο	138					
	200/50 ZR 17	*M5 sportec (ZR) (75W)	TL	ο	140					

S
P
O
R
T

16"	130/70 ZR 16					*Diablo Sport (CBR-old) (61W)	TL	ε	103
17"	120/70 ZR 17					*Diablo Sport (58W)	TL	ε	95
	160/60 ZR 17					*Diablo Sport (69W)	TL	ο	121
	180/55 ZR 17					*Diablo Sport (73W)	TL	ο	129
	190/50 ZR 17					*Diablo Sport (73W)	TL	ο	134

PDF Eraser Free HYPER /// SUPER--TOUR

H Y P E R - T O U R	17"	120/70 ZR 17	Roadtec-01 {SE-sport} (58W) TL ε 144	Angel-GT2 (58W) TL ε 164	
		160/60 ZR 17	Roadtec-01 {SE-sport} (69W) TL ο 179	Angel-GT2 (69W) TL ο 205	
		180/55 ZR 17	Roadtec-01 {SE-sport} (73W) TL ο 189	Angel-GT2 (73W) TL ο 215	
		190/50 ZR 17	Roadtec-01 {SE-sport} (73W) TL ο 199		
		190/55 ZR 17	Roadtec-01 {SE-sport} (75W) TL ο 205		
	17"	120/70 ZR 17	Roadtec-01 (HWM) (58W) TL ε 149	Angel-GT2 (A) (58W) TL ε 169	
		180/55 ZR 17	Roadtec-01 (HWM) (73W) TL ο 196	Angel-GT2 (A) (73W) TL ο 224	
		190/50 ZR 17	Roadtec-01 (HWM) (73W) TL ο 206	Angel-GT2 (A) (73W) TL ο 235	
		190/55 ZR 17	Roadtec-01 (HWM) (75W) TL ο 213	Angel-GT2 (A) (75W) TL ο 242	
	17"	150/70 VR 17	Roadtec-01 69V TL ο 186		
19"	110/80 VR 19	Roadtec-01 59V TL ε 159			
17"	170/60 <> 17	Roadtec-01 72W TL ο 193	Angel-GT2 72V TL ο 213		
19"	120/70 <> 19	Roadtec-01 60W TL ε 165	Angel-GT2 60V TL ε 183		
S U P E R - T O U R	17"	120/70 ZR 17	Z8 Roadtec (Interact) (58W) TL ε 112	Angel-GT (58W) TL ε 135	
		120/70 ZR 17		Angel-GT (A) (58W) TL ε 140	
		160/60 ZR 17	Z8 Roadtec (Interact) (69W) TL ο 143	Angel-GT (69W) TL ο 174	
		170/60 ZR 17	Z8 Roadtec (Interact) (72W) TL ο 150		
		180/55 ZR 17	Z8 Roadtec (Interact) (73W) TL ο 149	Angel-GT (73W) TL ο 179	
		180/55 ZR 17		Angel-GT (A) (73W) TL ο 186	
		190/50 ZR 17	Z8 Roadtec (Interact) (73W) TL ο 154	Angel-GT (A) (73W) TL ο 195	
		190/55 ZR 17		Angel-GT (A) (75W) TL ο 201	
	18"	110/80 ZR 18	Z8 Roadtec (Interact) (58W) TL ε 122		
		120/70 ZR 18	Z8 Roadtec (Interact) (59W) TL ε 122	Angel-GT (59W) TL ε 148	
	160/60 ZR 18	Z8 Roadtec (Interact) (70W) TL ο 147			
17"	150/70 <> 17	Z8 Roadtec (Interact) (69W) TL ο 145	Angel-GT 69V TL ο 145		
19"	110/80 VR 19		Angel-GT 59V TL ε 124		

PDF Eraser Free

CUSTOM (18" εως 21")

18"	3.00 - 18	ME77-Perfect	47S	TL	=	75	MT66-Route	47S	TT	ε	69	V160 custom	47P	TL	=	42
	100/90 - 18	ME888-Marathon	56H	TL	ε	147	MT66-Route	56H	TL	ε	98	V160 custom	62S	TL	=	62
	130/70 - 18	ME888-Marathon	63HB	TL	ε	158										
19"	90/90 - 19						MT66-Route	52H	TL	ε	75	V158 custom	52S	TT	ε	47
	100/90 - 19	ME888-Marathon	57H	TL	ε	153	MT66-Route	57H	TL	ε	102	V393F cruze	57H	TL	ε	69
21"	80/90 - 21	ME888-Marathon	48H	TL	ε	108	MT66-Route	48H	TT	ε	85	V393F cruze	54H	TL	ε	59
	90/90 - 21	ME888-Marathon	54H	TL	ε	153										

CUSTOM (15" εως 16") (Special--ORDERS)

C
U
S
T
O
M
-
S
P
E
C
I
A
L

15"	160/80 - 15	ME888-Marathon	74S	TT	ο	161										
	170/80 - 15	ME888 (WhiteWall)	77HB	TL	ο	260										
	180/70 - 15	ME888-Marathon	76HB	TL	ο	204										
	200/70 - 15	ME888-Marathon	82HB	TL	ο	229										
16"	130/90 - 16	Cruisetec/rf.	73HB	TL	ε	216										
	130/90 - 16	Cruisetec/rf.	73HB	TL	ο	216										
	140/90 - 16	ME888 (WhiteWall/rf)	77HB	TL	ο	255										
	150/80 - 16	Cruisetec	71H	TL	ε	208										
	150/80 - 16	Cruisetec/rf.	77HB	TL	ο	220										
	180/70 - 16	Cruisetec	77HB	TL	ο	270										
	180/65 - 16	Cruisetec/rf.	81HB	TL	ο	256										
	180/60 - 16	Cruisetec/rf.	80HR	TL	ο	283										
	200/60 - 16	ME888-Marathon	79VR	TL	ο	308										
	200/55 - 16	Cruisetec/rf.	77HR	TL	ο	398										
240/50 - 16	ME888-Marathon	84VR	TL	ο	343											



<ΔΙΑΣΤΑΣΕΙΣ>

METZELER

<ΠΕΛΜΑ>

index

TL
TT

ε ο
=

TIMH

PIRELLI

<ΠΕΛΜΑ>

index

TL
TT

ε ο
=

TIMH

VeeMoto

<ΠΕΛΜΑ>

index

TL
TT

ε ο
=

TIMH

PDF Eraser Free

CUSTOM (17" εως 21") (Special--ORDERS)

C
U
S
T
O
M
-
S
P
E
C
I
A
L

C
U
S
T
O
M
-
S
P
E
C
I
A
L

17"	130/80 - 17	Cruisetec	65HB	TL	ε	159
	140/80 - 17	ME888-Marathon	69H	TL	ε	190
	140/75 - 17	ME888-Marathon	67VR	TL	ε	238
	150/80 - 17	ME888-Marathon	72VR	TL	ε	253
	160/70 - 17	Cruisetec/rf.	79VB	TL	ο	230
	200/55 - 17	Cruisetec	78VR	TL	ο	310
	210/50 - 17	ME888-Marathon	(78W)	TL	ο	348
18"	120/70 - 18	ME888-Marathon	(59W)	TL	ε	248
	130/70 - 18	Cruisetec	63HR	TL	ε	234
	140/70 - 18	ME888-Marathon/rf.	73HB	TL	ε	195
	150/70 - 18	Cruisetec/rf.	76HB	TL	ο	247
	180/55 - 18	Cruisetec/rf.	80HB	TL	ο	284
	200/50 - 18	ME888-Marathon/rf.	82HR	TL	ο	327
	210/40 - 18	ME888-Marathon	73HR	TL	ο	305
	240/40 - 18	Cruisetec	(79VR)	TL	ο	333
	260/40 - 18	Cruisetec	(84VR)	TL	ο	352
	280/35 - 18	ME888-Marathon	(84VR)	TL	ο	372
300/35 - 18	ME888-Marathon	(87VR)	TL	ο	395	
19"	100/90 - 19	Cruisetec	57H	TL	ε	153
	100/90 - 19	ME888 (WhiteWall)	57H	TL	ε	184
	110/90 - 19	Cruisetec	62H	TL	ε	166
	110/90 - 19	ME888-Marathon	62H	TL	ε	166
	120/70 - 19	Cruisetec	(60W)	TL	ε	259
	120/70 - 19	ME888-Marathon	(60W)	TL	ε	259
	130/60 - 19	Cruisetec	61HB	TL	ε	259
21"	120/70 - 21	Cruisetec/rf.	68HB	TL	ε	253

PDF Eraser Free

STREET (S - H - V) (15" εως 17")

S
T
R
E
E
T

15"	130/90 - 15	ME77-Perfect	66S	TL	o	107	City-Demon	66S	TL	o	105	V195 custom	66S	TT	o	73
	140/90 - 15	ME77-Perfect	70S	TT	o	109						V393R cruze	76H	TL	o	98
16"	3.50 - 16											V159	66P	TT	o	41
	100/90 - 16	Roadtec-01	54H	TL	ε	101										
	110/90 - 16	ME77-Perfect	59S	TT	ε	74										
	110/90 - 16	ME77-Perfect	59S	TL	o	89										
	120/90 - 16	ME77-Perfect	63H	TL	o	99	City-Demon	63S	TL	o	99	V195 custom	63S	TL	o	74
	130/90 - 16	Roadtec-01	67H	TL	ε	120										
	130/90 - 16	Roadtec-01	67V	TL	o	135										
	150/80 - 16	Roadtec-01	71H	TL	o	131										

S
T
R
E
E
T

super	90/80 - 17	Sportec {STR-super@}	46S	TL	=	59	ANGEL-City (super@)	46S	TL	=	59					
	120/70 - 17	Sportec {STR-super@}	58S	TL	=	74	ANGEL-City (super@)	58S	TL	=	74					
	90/80 - 17	RossoSPORT { Super Παπιά @ }					RossoSPORT (super@)	46S	TL	=	69					
	120/70 - 17						RossoSPORT (super@)	58S	TL	o	95					

S
T
R
E
E
T

17"	3.00 - 17	ME22-sport /rf.	50P	TT	=	41						V158	47P	TT	=	31
	80/80 - 17						ANGEL-City/rf.	46S	TL	ε	67					
	80/90 - 17						ANGEL-City	44S	TL	=	68					
	80/100 - 17						ANGEL-City	46S	TL	ε	69					
	90/90 - 17						ANGEL-City	49S	TL	=	70					
	100/70 - 17						ANGEL-City	49S	TL	o	71					
	100/80 <> 17	Roadtec-01	52H	TL	ε	78	ANGEL-City	52S	TL	ε/o	76	V396-Manhattan	52P	TL	ε	52
	100/80 - 17						RossoSPORT	52S	TL	=	80					
	100/90 - 17						ANGEL-City	55S	TL	o	79					
	110/70 - 17	Roadtec-01	54H	TL	ε	93	ANGEL-City	54S	TL	=	75					
	110/70 - 17						RossoSPORT	54S	TL	=	82					



<ΔΙΑΣΤΑΣΕΙΣ>

METZELER

<ΠΕΛΜΑ>

index

TL
TT

ε ο
=

TIMH

PIRELLI

<ΠΕΛΜΑ>

index

TL
TT

ε ο
=

TIMH

VeeMoto

<ΠΕΛΜΑ>

index

TL
TT

ε ο
=

TIMH

PDF Eraser Free

STREET (S - H - V) (17" ΕΩΣ 18")

S
T
R
E
E
T

S
T
R
E
E
T

S
T
R
E
E
T

17"	110/80 - 17	Roadtec-01	57H	TL	ε	99										
	130/70 - 17	Roadtec-01	62H	TL	ο	113	ANGEL-City	62S	TL	ο	85	V396-Manhattan	62P	TL	ο	62
	130/70 - 17						RossoSPORT	62S	TL	ο	92					
	130/80 - 17	Roadtec-01	65H	TL	ο	125										
	130/90 - 17	*Roadtec-01	68V	TL	ο	139										
	140/70 - 17	Roadtec-01	66H	TL	ο	129	ANGEL-City	66S	TL	ο	93					
	140/70 - 17						RossoSPORT	66S	TL	ο	101					
	140/80 - 17	Roadtec-01	69V	TL	ο	145										
	150/60 - 17						ANGEL-City	66S	TL	ο	103					
	150/60 - 17						RossoSPORT	66S	TL	ο	112					
150/70 - 17	Roadtec-01	69H	TL	ο	138											
18"	2.75 - 18	ME22-sport /rf.	48P	TL	=	46						V160/rf.	48P	TL	=	35
	3.00 - 18	ME22-sport /rf.	52P	TL	=	57						V160	47P	TL	=	42
	3.00 - 18	ME77-Perfect	47S	TL	=	75	City-Demon	47S	TL	ε	67					
	3.25 - 18	ME22-sport /rf.	59P	TT	=	63										
	3.50 - 18	ME22-sport /rf.	62P	TT	=	71										
	3.50 - 18	ME77-Perfect	56S	TL	ε	82										
	80/100 - 18	Roadtec-01 <u>new</u>	47P	TL	ε	69										
	90/90 - 18	Roadtec-01 <u>new</u>	51P	TL	ο	78										
	90/100 - 18						City-Demon	54S	TL	ε	79	V160 (90/90 - 18)	57P	TT	=	44
	100/90 - 18	Roadtec-01	56H	TL	ε	106						V160 custom	62S	TL	=	62
100/90 - 18	Roadtec-01	56V	TL	ε	112											
110/90 - 18	Roadtec-01	61H	TL	ο	122											
110/90 - 18	*Roadtec-01	61V	TL	ε	127											
120/80 - 18	Roadtec-01	62H	TL	ο	126											



<ΔΙΑΣΤΑΣΕΙΣ>

METZELER

<ΠΕΛΜΑ>

index

TL
TT

ε ο
=

TIMH

PIRELLI

<ΠΕΛΜΑ>

index

TL
TT

ε ο
=

TIMH

VeeMoto

<ΠΕΛΜΑ>

index

TL
TT

ε ο
=

TIMH

PDF Eraser Free

ENDURO (ST+)

E
N
D
U
R
O
-
S
T
+

17"	130/80 VR 17	*Tourance-Next	65VR	TL	ο	126	Scorpion-Trail II	65VR	TL	ο	133		
	140/80 VR 17	*Tourance-Next	69VR	TL	ο	144	Scorpion-Trail II	69VR	TL	ο	150		
	150/70 VR 17	*Tourance-Next	69VR	TL	ο	148	Scorpion-Trail II	69VR	TL	ο	148		
	19"	110/80 VR 19	*Tourance-Next	59VR	TL	ε	119	Scorpion-Trail II	59VR	TL	ε	119	
17"	170/60 <> 17	*Tourance-Next	72V/W	TL	ο	151	Scorpion-Trail II	72VR	TL	ο	151		
	19"	120/70 <> 19	*Tourance-Next	60V/W	TL	ε	120	Scorpion-Trail II	60VR	TL	ε	120	
18"	100/90 V 18						Scorpion-Trail II	56V	TL	ε	102		
	150/70 VR 18	*Tourance-Next	70VR	TL	ο	143	Scorpion-Trail II	70VR	TL	ο	148		
19"	100/90 V 19	*Tourance-Next	57V	TL	ε	111	Scorpion-Trail II	57V	TL	ε	115		
21"	90/90 V 21	*Tourance-Next	54V	TL	ε	111	Scorpion-Trail II	54V	TL	ε	115		
17"	120/70 ZR 17	*Tourance-Next	(58W)	TL	ε	127	Scorpion-Trail II	(58W)	TL	ε	131		
	160/60 ZR 17	*Tourance-Next	(69W)	TL	ο	144	Scorpion-Trail II	(69W)	TL	ο	148		
	180/55 ZR 17	*Tourance-Next	(73W)	TL	ο	186	Scorpion-Trail II	(73W)	TL	ο	196		
	190/55 ZR 17						Scorpion-Trail II	(75W)	TL	ο	202		

ENDURO (ST)

E
N
D
U
R
O
-
S
T

17"	120/90 - 17	Tourance	64S	TT	ο	97						
	130/80 S 17	Tourance	65S	TT	ο	104						
	130/80 SR 17	Tourance	65SR	TL	ο	107						
	130/80 HR 17	Tourance	65HR	TL	ο	115						
	140/80 HR 17	Tourance	69HR	TL	ο	131						
17"	150/70 HR 17	Tourance	69HR	TL	ο	132						
19"	110/80 HR 19	Tourance	59HR	TL	ε	99						
17"	150/70 VR 17	Tourance	69VR	TL	ο	136						
19"	110/80 VR 19	Tourance	59VR	TL	ε	104						

E N D - S T	PDF Eraser Free				ENDURO (ST)				
	18"	120/80 - 18	Tourance	62S	TT	ο	96		
	19"	100/90 S 19	Tourance	57S	TT	ε	91		
		100/90 H 19	Tourance	57H	TL	ε	98		
	21"	90/90 S 21	Tourance	54S	TT	ε	91		
		90/90 H 21	Tourance	54H	TL	ε	98		

E N D U R O - S T R	ENDURO (STR / AT)														
	15"	160/60 HR 15						Sco.Rally {STR} xADV	67HR	TL	ο	148			
	17"	110/70 <> 17	Karoo {STR} new	54S	TL	ε	139		Scorp. Rally {STR}	54HR	TL	ε	134		
		140/70 S 17	Karoo {STR} new	66S	TL	ο	149								
		150/60 HR 17							Scorp. Rally {STR}	66HR	TL	ο	157		
		120/70 <> 17	Karoo {STR}	58VR	TL	ε	147		Scorp. Rally {STR}	58HR	TL	ε	135		
		180/55 VR 17	Karoo {STR}	73VR	TL	ο	238								
		130/80 VR 17	Karoo {STR}	65VR	TL	ο	175		Scorp. Rally {STR}	65VR	TL	ο	172		
		140/80 VR 17	Karoo {STR}	69VR	TL	ο	177		Scorp. Rally {STR}	69VR	TL	ο	174		
	17"	150/70 VR 17	Karoo {STR}	69VR	TL	ο	179		Scorp. Rally {STR}	69VR	TL	ο	175		
	19"	110/80 VR 19	Karoo {STR}	59VR	TL	ε	161		Scorp. Rally {STR}	59VR	TL	ε	157		
	17"	170/60 VR 17	Karoo {STR}	72VR	TL	ο	199		Scorp. Rally {STR}	72VR	TL	ο	196		
	19"	120/70 VR 19	Karoo {STR}	60VR	TL	ε	159		Scorp. Rally {STR}	60VR	TL	ε	156		
	18"	150/70 VR 18	Karoo {STR}	70VR	TL	ο	172		Scorp. Rally {STR}	70VR	TL	ο	168		
	19"	100/90 V 19	Karoo {STR}	57V	TL	ε	144		Scorp. Rally {STR}	57V	TL	ε	142		
	21"	90/90 V 21	Karoo {STR}	54V	TL	ε	129		Scorp. Rally {STR}	54V	TL	ε	126		

A T	18"	150/70 VR 18						Sco-MT90 (A/T VR)	70VR	TL	ο	166		
	21"	90/90 V 21						Sco-MT90 (A/T V)	54V	TL	ε	118		



<ΔΙΑΣΤΑΣΕΙΣ>

METZELER
<ΠΕΛΜΑ>

index

TL
TT

ε ο
=

TIMH

PIRELLI
<ΠΕΛΜΑ>

index

TL
TT

ε ο
=

TIMH

VeeMoto
<ΠΕΛΜΑ>

index

TL
TT

ε ο
=

TIMH

PDF Eraser Free

ENDURO (A/T)

E
N
D
U
R
O
-
A
T

E
N
D
U
R
O
-
A
T

14"	180/80 - 14							V275 (A/T)	78P	TT	ο	89
16"	120/90 - 16							V163 (A/T)	63P	TL	ο	71
17"	3.00 - 17							V022 (A/T)	48R	TT	=	34
	4.60 - 17							V022 (A/T)	62R	TT	ο	61
	110/90 - 17							V307 (A/T)	60P	TL	ο	74
	120/90 - 17	Sahara-3 (A/T)	64S	TT	ο	115		V163 (A/T)	64T	TT	ο	78
	120/90 - 17											
	130/80 - 17	Sahara-3 (A/T) MST	65S	TT	ο	119		V163 (A/T)	65S	TL	ο	83
	130/80 - 17	Sahara-3 (A/T)	65T	TL	ο	127						
	140/80 - 17	Sahara-3 (A/T) MST	69H	TT	ο	129						
18"	3.00 - 18							V022 (A/T)	52R	TT	=	39
	4.10 - 18							V221 (A/T)	60P	TT	ο	58
	4.60 - 18							V221 (A/T)	63P	TT	ο	72
	110/80 - 18											
	120/80 - 18	Sahara-3 (A/T) MST	62S	TT	ο	118						
	130/80 - 18							V274 (A/T)	66P	TT	ε	69
	140/80 - 18	Sahara-3 (A/T) MST	70S	TT	ο	129						
19"	2.75 - 19							V022 (A/T)	49R	TT	=	32
	90/90 - 19							V307 (A/T)	52P	TL	ε	59
	90/100 - 19							V163 (A/T)	55P	TL	ε	63
	100/90 - 19											
21"	2.75 - 21							V221 (A/T)	45P	TT	ε	41
	3.00 - 21							V221 (A/T)	51P	TT	ε	49
	80/90 - 21											
	90/90 - 21	Sahara-3 (A/T) MST	54S	TT	ε	98		V163 (A/T)	54S	TL	ε	67
	90/90 - 21	Sahara-3 (A/T) MST	54H	TL	ε	102						

PDF Eraser Free																	
ENDURO--Cross (Scorpion-XC Enduro)																	
X C	18"	100/100 - 18				Scorp. XC	midHARD	59R	TT	ο	80						
		110/100 - 18				Scorp. XC	midHARD	64M	TT	ο	85						
		120/100 - 18				Scorp. XC	midHARD	68M	TT	ο	89						
		140/80 - 18				Scorp. XC	midHARD	70M	TT	ο	91						
	21"	80/100 - 21				Scorp. XC	midHARD	51R	TT	ε	66						

Enduro--Cross (Rally-Cross)																		
R A L L Y	17"	4.10 - 17											V147 Rally	67P	TT	ο	47	
		120/90 - 17				MT21 RallyCross	m+s	64R	TT	ο	92							
		130/90 - 17				MT21 RallyCross		68P	TT	ο	93			V147 Rally	68P	TT	ο	71
	18"	110/80 - 18				MT21 RallyCross	m+s	58P	TT	ο	71							
		120/80 - 18				MT21 RallyCross	m+s	62R	TT	ο	90							
		120/90 - 18				MT21 RallyCross	m+s	65R	TT	ο	96			V147 Rally	69R	TT	ο	70
		130/90 - 18				MT21 RallyCross		69R	TT	ο	100							
	21"	140/80 - 18				MT21 RallyCross	m+s	70R	TT	ο	100			V147 Rally	70R	TT	ο	72
		80/90 - 21				MT21 RallyCross	m+s	48P	TT	ε	55							
		90/90 - 21				MT21 RallyCross	m+s	54R	TT	ε	65			V147 Rally	54R	TT	ε	49

CROSS (Junior) (10" εως 12")																	
J U N I O R	10"	2.50 - 10				MX-32 Race	mid-SOFT	33J	TT	ε	38		V140 Junior	33J	TT	=	20
		2.75 - 10				MX-32 Race	mid-SOFT	37J	TT	ο	59						
	12"	60/100 - 12				MX-32 Race	mid-SOFT	36M	TT	ε	44						
		80/100 - 12				MX-32 Race	mid-SOFT	50M	TT	ο	66			V140 Junior	41M	TT	ο

		PDF Eraser Free				ATV (ON/OFF)								
O N - O F F	6"	145/70 - 6								V196 <i>WorkHorse</i>	2PR	TL	=	25
	7"	16 x 8 - 7								V196 <i>WorkHorse</i>	2PR	TL	=	34
	8"	20 x 7 - 8								V196 <i>WorkHorse</i>	2PR	TL	=	48
		22 x 11 - 8								V196 <i>WorkHorse</i>	2PR	TL	=	56
	8"	22 x 11 - 8								V337 <i>enduro</i>	2PR	TL	=	72
	9"	22 x 11 - 9								V337 <i>enduro</i>	2PR	TL	=	89
	12"	24 x 8 - 12								V326F <i>enduro</i>	4PR	TL	ε	77
		24 x 10 - 12								V326R <i>enduro</i>	4PR	TL	o	81
	8"	20 x 7 - 8								V208 <i>Speedway</i>	4PR	TL	=	45
	10"	21 x 7 - 10								V208 <i>Speedway</i>	4PR	TL	=	53
		22 x 8 - 10								V208 <i>Speedway</i>	4PR	TL	=	56
	O N - O F F	8"	20 x 11 - 8								V260 <i>Venom</i>	4PR	TL	o
9"		20 x 10 - 9								V260 <i>Venom</i>	4PR	TL	o	84
10"		21 x 7 - 10								V259 <i>Venom</i>	4PR	TL	ε	53
		20 x 11 - 10								V260 <i>Venom</i>	4PR	TL	o	89
10"		22 x 11 - 10								V189 <i>Grizzly</i>	4PR	TL	=	97
		25 x 12 - 10								V189 <i>Grizzly</i>	4PR	TL	=	115
12"		25 x 8 - 12								V189 <i>Grizzly</i>	4PR	TL	=	89
		25 x 10 - 12								V189 <i>Grizzly</i>	4PR	TL	=	99

		MOUSSE							
M O U S S E	18"	140/80 - 18	Mousse--Enduro (E-18H1) METZ	o	133				
	21"	90/90 - 21	Mousse--Enduro (E-21C1) METZ	ε	133				
	19"	110/90 - 19	Mousse--Cross (X-19E1) PIR	o	133				
		120/80 - 19	Mousse--Cross (X-19F1) PIR	o	133				
	*	GEL--Mousse	Mousse--GEL (Can x 1 kg.)		39				

PDF Eraser Free		ΑΕΡΟΘΑΛΑΜΟΙ (Cross)									
C R O S S	18"	100/100 - 18			Αερθ. PIRELLI-CROSS (21 B 18) HD	21	Αερ/μος Vee-CROSS TR4 HD+ ο	12,5			
		110/100 - 18					Αερ/μος Vee-CROSS TR4 HD+ ο	13,5			
		120/100 - 18					Αερ/μος Vee-CROSS TR4 HD+ ο	14,5			
	19"	100/90 - 19			Αερθ. PIRELLI-CROSS (21 B 19) HD	21	Αερ/μος Vee-CROSS TR4 HD+ ο	12,5			
		110/90 - 19					Αερ/μος Vee-CROSS TR4 HD+ ο	13,5			
		120/80 - 19					Αερ/μος Vee-CROSS TR4 HD+ ο	14,5			
	21"	80/100 - 21			Αερθ. PIRELLI-CROSS (10 B 21) HD	21	Αερ/μος Vee-CROSS TR4 HD+ ε	12,5			

ΑΕΡΟΘΑΛΑΜΟΙ									
A E P O Θ A Λ A M O I	10"	3.00/3.50 - 10			SAMSON (bag)	Samson (bag) TR87 (90°)	4,3		
	17"	2.00/2.25 - 17				Samson (bag) TR4 ίσια	3,7		
		2.25/2.50 - 17				Samson (bag) TR4 ίσια	3,9		
		2.50/2.75 - 17				Samson (bag) TR4 ίσια	4,1		
A E P O Θ A Λ A M O I	6"	5.4 - 6			VeeMoto (box)	VeeMoto (box) TR87 (90°)	8,5		
	8"	2.50 - 8				VeeMoto (box) TR87 (90°)	4,9		
		3.00 - 8				VeeMoto (box) TR87 (90°)	4,9		
		3.50/4.00 - 8				VeeMoto (box) TR87 (90°)	5,7		
		10"	2.50/2.75 - 10				VeeMoto (box) TR87 (90°)	4,9	
	10"	3.00/3.50 - 10				VeeMoto (box) TR87 (90°)	5,2		
		3.50/4.00 - 10				VeeMoto (box) TR87 (90°)	6,7		
		120/130 - 10				VeeMoto (box) TR87 (90°)	7,2		
		12"	3.00/3.25 - 12				VeeMoto (box) TR4 ίσια	5,8	
	12"	120/130 - 12				VeeMoto (box) TR87 (90°)	7,6		
		13"	130/60 - 13				VeeMoto (box) TR87 (90°)	7,3	

ΑΕΡΟΘΑΛΑΜΟΙ

Α
Ε
Ρ
Ο
Θ
Α
Λ
Α
Μ
Ο
Ι

14"	2.00/2.25 - 14		
	2.75/3.00 - 14		
PDE Eraser Free			
	4.10 - 14		
	180/80 - 14		
15"	130/140 - 15		
	170/80 - 15		
16"	2.00/2.25 - 16		
	2.50/2.75 - 16		
	3.00/3.25 - 16		
	3.25/3.50 - 16		
	4.50/5.10 - 16		
17"	45/90 - 17		
	2+2.1/2 -16/17		
	2.00/2.25 - 17		
	2.25/2.50 - 17		
	2.50/2.75 - 17		
	2.75/3.00 - 17		
	4.50/5.10 - 17		
	120/80 - 17		
18"	2.50/2.75 - 18		
	3.00/3.25 - 18		
	3.25/4.10 - 18		
	4.00/4.50 - 18		
19"	2.75/3.00 - 19		
	3.25/4.10 - 19		
21"	2.75/3.00 - 21		
	90/90 - 21		

Α
Ε
Ρ
Ο
Θ
Α
Λ
Α
Μ
Ο
Ι



VeeMoto (box)	TR4 ίσια	4,4
VeeMoto (box)	TR4 ίσια	5,4
VeeMoto (box)	TR4 ίσια	6,6
VeeMoto (box)	TR4 ίσια	17,2
VeeMoto (box)	87/4 90` ίσια	8,2
VeeMoto (box)	TR87 (90`)	18,5
VeeMoto (box)	TR4 ίσια	4,6
VeeMoto (box)	TR4 ίσια	4,9
VeeMoto (box)	TR4 ίσια	6,0
VeeMoto (box)	TR4 ίσια	6,0
VeeMoto (box)	TR4 ίσια	8,9
VeeMoto (box)	TR4 ίσια	4,0
VeeMoto (box)	TR4 ίσια	4,3
VeeMoto (box)	TR4 ίσια	4,5
VeeMoto (box)	TR4 ίσια	4,7
VeeMoto (box)	TR4 ίσια	4,9
VeeMoto (box)	TR4 ίσια	5,7
VeeMoto (box)	TR4 ίσια	9,1
VeeMoto (box)	TR4 ίσια	7,9
VeeMoto (box)	TR4 ίσια	5,3
VeeMoto (box)	TR4 ίσια	6,2
VeeMoto (box)	TR4 ίσια	6,3
VeeMoto (box)	TR4 ίσια	8,7
VeeMoto (box)	TR4 ίσια	5,9
VeeMoto (box)	TR4 ίσια	6,6
VeeMoto (box)	TR4 ίσια	6,4
VeeMoto (box)	TR4 ίσια	6,5

Φακαρόλες (VeeMoto)

{ 25 έως 35 mm πλάτος & 15 έως 21 inch. διάμετρος }

Ποσότητα Minimum

(BOX x 5 τεμ.)

TIMH--BOX x 5 > 11,5

LOAD index

SPEED index (Kmh)

PDF Eraser Free

L
O
A
D

L
O
A
D

LOAD index	Kg.	LOAD index	Kg.
15	69	53	206
16	71	54	212
17	73	55	218
18	75	56	224
19	77,5	57	230
20	80	58	236
21	82,5	59	243
22	85	60	250
23	87,5	61	257
24	90	62	265
25	92,5	63	272
26	95	64	280
27	97,5	65	290
28	100	66	300
29	103	67	307
30	106	68	315
31	109	69	325
32	112	70	335
33	115	71	345
34	118	72	355
35	121	73	365
36	125	74	375
37	128	75	387
38	132	76	400

S
P
E
E
D

S
P
E
E
D

SPEED symbol	Max. Speed
F	80
G	90
J	100
K	110
L	120
M	130
N	140
P	150
Q	160
R	170
S	180
T	190

LOAD index

SPEED index (Kmh)

PDF Eraser Free

**L
O
A
D**

**S
P
E
E
D**

LOAD index	Kg.	LOAD index	Kg.
39	136	77	412
40	140	78	425
41	145	79	437
42	150	80	450
43	155	81	462
44	160	82	475
45	165	83	487
46	170	84	500
47	175	85	515
48	180	86	530
49	185	87	545
50	190	88	560
51	195	89	580
52	200	90	600

SPEED symbol	Max. Speed
U	200
H	210
V/VB	240
(V/VB)	over 240
ZR	270
W	270
(W/ZR)	over 270